Chapter 1

Solving Linear Equations and Inequalities

Exercise Set 1.1

2. $47 - x = 23$

$47 - 24 \;?\; 23$

$23 \mid$ TRUE

24 is a solution of the equation.

4. $3x + 14 = -27$

$3(-10) + 14 \;?\; -27$

$-30 + 14 \mid$

$-16 \mid$ FALSE

-10 is not a solution of the equation.

6. $\dfrac{-x}{8} = -3$

$\dfrac{-32}{8} \;?\; -3$

$-4 \mid$ FALSE

32 is not a solution of the equation.

8. $4 - 5x = 59$

$4 - 5(-11) \;?\; 59$

$4 + 55 \mid$

$59 \mid$ TRUE

-11 is a solution of the equation.

10. $9y + 5 = 86$

$9 \cdot 9 + 5 \;?\; 86$

$81 + 5 \mid$

$86 \mid$ TRUE

9 is a solution of the equation.

12. $x + 5 = 5 + x$

$-13 + 5 \;?\; 5 + (-13)$

$-8 \mid -8$ TRUE

-13 is a solution of the equation.

14.
$$\begin{aligned} x + 7 &= 14 \\ x + 7 - 7 &= 14 - 7 \\ x + 0 &= 7 \\ x &= 7 \end{aligned}$$

16.
$$\begin{aligned} -27 &= y - 17 \\ -27 + 17 &= y - 17 + 17 \\ -10 &= y + 0 \\ -10 &= y \end{aligned}$$

18.
$$\begin{aligned} -8 + r &= 17 \\ 8 - 8 + r &= 8 + 17 \\ 0 + r &= 25 \\ r &= 25 \end{aligned}$$

20.
$$\begin{aligned} -37 + x &= -89 \\ 37 - 37 + x &= 37 - 89 \\ 0 + x &= -52 \\ x &= -52 \end{aligned}$$

22.
$$\begin{aligned} z - 14.9 &= -5.73 \\ z - 14.9 + 14.9 &= -5.73 + 14.9 \\ z + 0 &= 9.17 \\ z &= 9.17 \end{aligned}$$

24.
$$\begin{aligned} x + \frac{1}{12} &= -\frac{5}{6} \\ x + \frac{1}{12} - \frac{1}{12} &= -\frac{5}{6} - \frac{1}{12} \\ x + 0 &= -\frac{10}{12} - \frac{1}{12} \\ x &= -\frac{11}{12} \end{aligned}$$

26.
$$\begin{aligned} 5x &= 30 \\ \frac{5x}{5} &= \frac{30}{5} \\ 1 \cdot x &= \frac{30}{5} \\ x &= 6 \end{aligned}$$

28.
$$\begin{aligned} -4x &= 124 \\ \frac{-4x}{-4} &= \frac{124}{-4} \\ 1 \cdot x &= \frac{124}{-4} \\ x &= -31 \end{aligned}$$

30.
$$\begin{aligned} -\frac{x}{3} &= -25 \\ -\frac{1}{3}x &= -25 \\ -3\left(-\frac{1}{3}\right)x &= -3(-25) \\ x &= 75 \end{aligned}$$

32. $-120 = -8y$

$$\frac{-120}{-8} = \frac{-8y}{-8}$$

$$\frac{-120}{-8} = 1 \cdot y$$

$$15 = y$$

34. $0.39t = -2.73$

$$\frac{0.39t}{0.39} = \frac{-2.73}{0.39}$$

$$1 \cdot t = \frac{-2.73}{0.39}$$

$$t = -7$$

36. $$-\frac{7}{6}y = -\frac{7}{8}$$

$$-\frac{6}{7}\Big(-\frac{7}{6}\Big)(y) = -\frac{6}{7}\Big(-\frac{7}{8}\Big)$$

$$1 \cdot y = \frac{42}{56}$$

$$y = \frac{3}{4}$$

38. $4x - 7 = 81$

$$4x = 88$$

$$x = 22$$

40. $6z - 7 = 11$

$$6z = 18$$

$$z = 3$$

42. $5x + 7 = -108$

$$5x = -115$$

$$x = -23$$

44. $$-\frac{9}{2}y + 4 = -\frac{91}{2}$$

$$-9y + 8 = -91$$

$$-9y = -99$$

$$y = 11$$

46. $$\frac{9}{5}y + \frac{4}{10}y = \frac{66}{10}$$

$18y + 4y = 66$ Multiplying by 10

$$22y = 66$$

$$y = 3$$

48. $0.8t - 0.3t = 6.5$

$$0.5t = 6.5$$

$$t = 13$$

50. $15x + 40 = 8x - 9$

$$15x = 8x - 49$$

$$7x = -49$$

$$x = -7$$

52. $3x - 15 = 15 + 3x$

$-15 = 15$ False equation

No solution

54. $9t - 4 = 14 + 15t$

$$9t - 18 = 15t$$

$$-18 = 6t$$

$$-3 = t$$

56. $6 - 7x = x - 14$

$$20 - 7x = x$$

$$20 = 8x$$

$$\frac{20}{8} = x$$

$$\frac{5}{2} = x$$

58. $5x - 8 = -8 + 3x - x$

$$5x - 8 = -8 + 2x$$

$$3x = 0$$

$$x = 0$$

60. $6y + 20 = 10 + 3y + y$

$$6y + 20 = 10 + 4y$$

$$2y = -10$$

$$y = -5$$

62. $-3t + 4 = 5 - 3t$

$4 = 5$ False equation

No solution

64. $5 - 2y = -2y + 5$

$5 = 5$ True equation

All real numbers are solutions.

66. $3(y + 6) = 9y$

$$3y + 18 = 9y$$

$$18 = 6y$$

$$3 = y$$

68. $27 = 9(5y - 2)$

$$27 = 45y - 18$$

$$45 = 45y$$

$$1 = y$$

70. $210(x - 3) = 840$

$$210x - 630 = 840$$

$$210x = 1470$$

$$x = 7$$

72. $8x - (3x - 5) = 40$

$$8x - 3x + 5 = 40$$

$$5x = 35$$

$$x = 7$$

74. $3(4-2x) = 4-(6x-8)$
$12-6x = 4-6x+8$
$12-6x = 12-6x$
$12 = 12$ True equation
All real numbers are solutions.

76. $-40x+45 = 3[7-2(7x-4)]$
$-40x+45 = 3[7-14x+8]$
$-40x+45 = 3[-14x+15]$
$-40x+45 = -42x+45$
$2x = 0$
$x = 0$

78. $\frac{1}{6}(12t+48)-20 = -\frac{1}{8}(24t-144)$
$2t+8-20 = -3t+18$
$5t = 30$
$t = 6$

80. $6[4(8-y)-5(9+3y)]-21 = -7[3(7+4y)-4]$
$6[32-4y-45-15y]-21 = -7[21+12y-4]$
$6[-13-19y]-21 = -7[17+12y]$
$-78-114y-21 = -119-84y$
$20 = 30y$
$\frac{2}{3} = y$

82. $\frac{3}{4}\left(3x-\frac{1}{2}\right)+\frac{2}{3} = \frac{1}{3}$
$54x-9+16 = 8$ Multiplying by 24
$54x = 1$
$x = \frac{1}{54}$

84. $9(4x+7)-3(5x-8) = 6\left(\frac{2}{3}-x\right)-5\left(\frac{3}{5}+2x\right)$
$36x+63-15x+24 = 4-6x-3-10x$
$21x+87 = -16x+1$
$37x = -86$
$x = -\frac{86}{37}$

86. $\frac{a^{-9}}{a^{23}} = a^{-32} = \frac{1}{a^{32}}$

88. $-2x^8y^3$

90. $-5+6x$

92. $-10x+35y-20$

94. $4(-x-6y)$, or $-4(x+6y)$

96. $5(-2x+7y-4)$, or $-5(2x-7y+4)$

98. $\{-8,-7,-6,-5,-4,-3,-2,-1\}$;
$\{x|x$ is a negative integer greater than $-9\}$

100. $-0.00458y+1.7787 = 13.002y-1.005$
$-13.00658y = -2.7837$
$y \approx 0.214$

102. $\frac{2x-5}{6}+\frac{4-7x}{8} = \frac{10+6x}{3}$
$4(2x-5)+3(4-7x) = 8(10+6x)$
Multiplying by 24
$8x-20+12-21x = 80+48x$
$-88 = 61x$
$-\frac{88}{61} = x$

104. $23-2\{4+3(x-1)\}+5\{x-2(x+3)\} = 7\{x-2[5-(2x+3)]\}$
$23-2\{4+3x-3\}+5\{x-2x-6\} = 7\{x-2[5-2x-3]\}$
$23-2\{3x+1\}+5\{-x-6\} = 7\{x-2[-2x+2]\}$
$23-6x-2-5x-30 = 7\{x+4x-4\}$
$-11x-9 = 7\{5x-4\}$
$-11x-9 = 35x-28$
$19 = 46x$
$\frac{19}{46} = x$

Exercise Set 1.2

2. $d = rt$
$\frac{d}{r} = t$

4. $V = \frac{4}{3}\pi r^3$
$\frac{3V}{4\pi} = r^3$

6. $P = 2w+2l$
$P-2w = 2l$
$\frac{P-2w}{2} = l$, or
$\frac{P}{2}-w = l$

8. $A = \frac{1}{2}bh$
$2A = bh$
$\frac{2A}{b} = h$

10. $A = \frac{a+b}{2}$
$2A = a+b$
$2A-a = b$

12. $F = ma$

$\frac{F}{m} = a$

14. $I = Prt$

$\frac{I}{rt} = P$

16. $E = mc^2$

$\frac{E}{c^2} = m$

18. $Q = \frac{p-q}{2}$

$2Q = p - q$

$q = p - 2Q$

20. $Ax + By = c$

$Ax = c - By$

$x = \frac{c-By}{A}$

22. $F = \frac{mv^2}{r}$

$\frac{Fr}{m} = v^2$ Multiplying by $\frac{r}{m}$

24. $N = \frac{1}{3}M(t+w)$

$3N = M(t+w)$

$\frac{3N}{M} = t + w$

$\frac{3N}{M} - t = w,$ or

$\frac{3N - Mt}{M} = w$

26. $t = \frac{1}{6}(x - y + z)$

$6t = x - y + z$

$6t - x + y = z$

28. $g = m + mnp$

$g = m(1 + np)$

$\frac{g}{1+np} = m$

30. $Z = Q - Qab$

$Z = Q(1 - ab)$

$\frac{Z}{1-ab} = Q$

32. a) 5 ft 6 in. $= 5 \times 12$ in. $+ 6$ in. $= 66$ in.

$R = 665 + 4.35(145) + 4.7(66) - 4.7(32) \approx$ 1446 calories

b) $R = 655 + 4.35w + 4.7h - 4.7a$

$R - 655 - 4.35w + 4.7a = 4.7h$

$\frac{R - 655 - 4.35w + 4.7a}{4.7} = h$

34. a) 6 ft 2 in. $= 6 \times 12$ in. $+ 2$ in. $= 74$ in.

$K = 102.3 + 9.66(210) + 19.69(74) - 10.54(34) \approx$ 3230 calories

b) $K = 102.3 + 9.66w + 19.69h - 10.54a$

$K - 102.3 - 9.66w - 19.69h = -10.54a$

$\frac{K - 102.3 - 9.66w - 19.69h}{-10.54} = a,$ or

$\frac{102.3 + 9.66w + 19.69h - K}{10.54} = a$

36. a) $P = 94.593c + 34.227a - 2134.616$

$P = 94.593(26.7) + 34.227(24.1) - 2134.616$

$P \approx 1216$ g

b) $P = 94.593c + 34.227a - 2134.616$

$P - 34.227a + 2134.616 = 94.593c$

$\frac{P - 34.227a + 2134.616}{94.593} = c$

38. a) $F = \frac{n}{15}$

$F = \frac{42,690}{15}$

$F = 2846$ students

b) $F = \frac{n}{15}$

$15F = n$

40. $-2000 \div (-8) = \frac{-2000}{-8} = 250$

42. $120 \div (-4.8) = \frac{120}{-4.8} = -25$

44. $\frac{-90}{-15} = 6$

46. $\frac{-80}{16} = -5$

48. Solve for a:

$s = v_1 t + \frac{1}{2}at^2$

$s - v_1 t = \frac{1}{2}at^2$

$2(s - v_1 t) = at^2$

$\frac{2(s - v_1 t)}{t^2} = a$

Solve for v_1:

$s = v_1 t + \frac{1}{2}at^2$

$s - \frac{1}{2}at^2 = v_1 t$

$\frac{s - \frac{1}{2}at^2}{t} = v_1$

50. Solve for T_2:

$$\frac{P_1V_1}{T_1} = \frac{P_2V_2}{T_2}$$
$$P_1V_1T_2 = P_2V_2T_1$$
$$T_2 = \frac{P_2V_2T_1}{P_1V_1}$$

Solve for P_1:

$$\frac{P_1V_1}{T_1} = \frac{P_2V_2}{T_2}$$
$$P_1 = \frac{P_2V_2T_1}{T_2V_1}$$

52. First find the length of $\overline{AB}$. This is the base of the shaded triangle. (Alternatively, we could consider $\overline{AB}$ to be the height of the triangle.)

$$A = \frac{1}{2}bh$$
$$20 = \frac{1}{2} \cdot b \cdot 8$$
$$20 = 4b$$
$$5 = b$$

The length of $\overline{AB}$ is 5 cm. This is one base of the trapezoid.

$$A = \frac{1}{2}h(b_1 + b_2)$$
$$A = \frac{1}{2} \cdot 8(5 + 13)$$
$$A = \frac{1}{2} \cdot 8(18)$$
$$A = 72 \text{ cm}^2$$

Exercise Set 1.3

2. Let d = Sorlie's distance from the starting point, in miles.

Solve: $d + 4d = 1150$

$d = 230$ mi

4. Let a = the amount donated for arts, culture, and the humanities, in billions of dollars.

Solve: $a + 29.7 = 43.3$

$a = \$13.6$ billion

6. Let x = the measure of the first angle. Then $3x$ = the measure of the second angle and $x + 25$ = the measure of the third angle.

Solve: $x + 3x + (x + 25) = 180$

$x = 31°$

The measures of the angles are 31°; $3 \cdot 31°$, or 93°; and $31° + 25°$, or 56°.

8. Let w = the wholesale price of the spindle of discs.

Solve: $21.25 = w + 0.3w + 0.1(50)$

$w = \$12.50$

10. Let l = the length. Then $l - 42$ = the width.

Solve: $2l + 2(l - 42) = 228$

$l = 78$

The length is 78 ft, and the width is $78 - 42$, or 36 ft.

12. Let y = the length of the first piece. Then $3y - 6$ = the length of the second piece, and $\frac{2}{3}(3y - 6) + 2$ = the length of the third piece.

Solve:

$$y + (3y - 6) + \left[\frac{2}{3}(3y - 6) + 2\right] = 168$$
$$y = \frac{88}{3}, \text{ or } 29\frac{1}{3}$$

The lengths of the pieces are $29\frac{1}{3}$ ft; $3 \cdot \frac{88}{3} - 6$, or 82 ft; and $\frac{2}{3} \cdot 82 + 2$, or $\frac{170}{3}$, or $56\frac{2}{3}$ ft. The length of the longest piece is 82 ft.

14. Let p = the selling price of the house. Then $p - 100,000$ is the amount that exceeds \$100,000.

Solve:

$$0.08(100,000) + 0.03(p - 100,000) = 9200$$
$$p = \$140,000$$

16. Let x = the first even integer. Then $x + 2$ and $x + 4$ are the next two even integers.

Solve: $x + 5(x + 2) + 4(x + 4) = 1226$

$x = 120$

The numbers are 120; $120 + 2$, or 122; and $120 + 4$, or 124.

18. Let x = the smaller page number. Then $x + 1$ = the next page number.

Solve: $x + (x + 1) = 373$

$x = 186$

The numbers are 186 and $186 + 1$, or 187.

20. Let w = the number of extra sheets of wallet-size photos purchased.

Solve: $3(14.95) + 1.35w = 57$

$w = 9$

The Martinez family got $3 \cdot 12$, or 36, wallet-size photos in the 3 \$14.95 packages and $9 \cdot 6$, or 54, wallet-size photos on the 9 extra sheets purchased. Thus, they bought a total of $36 + 54$, or 90, wallet-size photos.

22. Let s = the old salary.

Solve: $s + 0.05s = 40,530$

$s = \$38,600$

24. Let p = the number of patents issued in 2006.

Solve: $p - 0.07p = 182,900$

$p \approx 196,667$ patents

26. a) In 2006, $t = 2006 - 2004 = 2$.

$y = 4.0(2) + 140.3 = 148.3$ million desktops

In 2009, $t = 2009 - 2004 = 5$.

$y = 4.0(5) + 140.3 = 160.3$ million desktops

b) Solve: $156.3 = 4.0x + 140.3$

$x = 4$

156.3 million desktops were sold 4 yr after 2004, or in 2008.

28. Let t = the time.

Solve: $725 = (390 - 65)t$

$t = \frac{29}{3}$, or $2\frac{3}{13}$hr

30. $d = 26,000$ ft $- 11,000$ ft $= 15,000$ ft. Let t = the time required to reach the new altitude, in minutes.

Solve: $15,000 = 2500t$

$t = 6$ min

32. Fran's speed swimming upstream is $5 - 2.3$, or 2.7 mph. To find the time to swim 1.8 mi upstream, solve $1.8 = 2.7t$. We have $t = \frac{2}{3}$ hr.

Fran's speed swimming downstream is $5 + 2.3$, or 7.3 mph. To find the time to swim 1.8 mi downstream, solve $1.8 = 7.3t$. We have $t = \frac{18}{73}$ hr.

34. $16 \cdot 8 + 200 \div 25 \cdot 10 = 128 + 8 \cdot 10$

$= 128 + 80$

$= 208$

36. $5^2 - 12^2 = 25 - 144 = -119$

38. $(5 - 12)(5 + 12) = -7 \cdot 17 = -119$

40. $\frac{(9-4)^2 + (8-11)^2}{4^2 + 2^2} = \frac{5^2 + (-3)^2}{16 + 4}$

$= \frac{25 + 9}{20}$

$= \frac{34}{20}$

$= \frac{17}{10}$

42. $-64 \div [-4 \div (-16)] = -64 \div \frac{1}{4} = -256$

44. $2^{13} \cdot 2^5 \cdot 2^3 = 2^{18} \cdot 2^3$

$= 2^{21}$, or $2,097,152$

46. Let S represent Christina's original salary and let x represent the number by which the reduced salary would have to be multiplied in order to return it to the original salary. Express $n\%$ in decimal notation as $0.01n$. The reduced salary is $S(1 - 0.01n)$ so we have $S(1 - 0.01n)(x) = S$.

$x = \frac{1}{1 - 0.01n}$, or $\frac{100}{100 - n}$, or $\frac{10,000}{100 - n}\%$.

48. Let p = the average number of points that two teams score in a game. Note that 48 min = 2880 sec.

Solve: $\frac{2880}{p} = 24$

$p = 120$ points

50. Let x = the height of the triangle. Then the sides are $x+1$, $x + 2$, and $x + 3$, where $x + 2$ is the base.

Solve: $(x + 1) + (x + 2) + (x + 3) = 42$

$x = 12$

The height is 12 in., and the base is $12 + 2$, or 14 in. Then $A = \frac{1}{2} \cdot 12 \text{ in.} \cdot 14 \text{ in.} = 84 \text{ in}^2$.

52. The average score on four tests is $\frac{83 + 91 + 78 + 81}{4}$, or 83.25. Let x = the number of points above the average Tico must score on the next test to raise his average 2 points.

Solve:

$\frac{83 + 91 + 78 + 81 + (83.25 + x)}{5} = 2 + 83.25$

$x = 10$ points

54. If we solve $x + (x + 1) + (x + 2) = 55$, we get $x = \frac{52}{3}$, or $17\frac{1}{3}$. Although this is a solution of the equation it is not a solution of the original problem because it is not an integer (nor are $x + 1$, or $18\frac{1}{3}$, and $x + 2$, or $19\frac{1}{3}$.)

56. We add some labels to the figure in the text.



Let x = the length of $\overline{AP}$. Then the length of a side of the square is $4x$. The smaller figure has sides of length $3x$ and $4x$.

Solve: $2 \cdot 3x + 2 \cdot 4x = 25$

$x = \frac{25}{14}$

The square has sides of length $4 \cdot \frac{25}{14}$, or $\frac{50}{7}$ in. Its area is $\frac{50}{7}$ in. $\cdot \frac{50}{7}$ in. $= \frac{2500}{49}$ or $51\frac{1}{49}$ in^2.

Chapter 1 Mid-Chapter Review

1. The statement is true as shown by the following steps.

$$\begin{aligned} 2x+3 &= 7 \\ 2x &= 4 \quad \text{Subtracting 3} \\ x &= 2 \quad \text{Dividing by 2} \end{aligned}$$

2. The statement is true. See Example 17 on page 81 in the text.

3. The statement is false. See Example 17 on page 81 in the text.

4. When we solve an applied problem, we check the possible solution in the *original problem*. The given statement is false.

5.
$$\begin{aligned} 2x-5 &= 1-4x \\ 2x-5+4x &= 1-4x+4x \\ 6x-5 &= 1 \quad \text{Collecting like terms} \\ 6x-5+5 &= 1+5 \\ 6x &= 6 \quad \text{Collecting like terms} \\ \frac{6x}{6} &= 6 \\ x &= 1 \quad \text{Simplifying} \end{aligned}$$

6.
$$\begin{aligned} Mx+Ny &= T \\ Mx+Ny-Mx &= T-Mx \\ Ny &= T-Mx \\ y &= \frac{T-Mx}{N} \end{aligned}$$

7.
$$\begin{array}{r|l} x+5=12 & \\ \hline 7+5 \stackrel{?}{=} 12 & \\ 12 & \text{TRUE} \end{array}$$

The number 7 is a solution of the equation.

8.
$$\begin{array}{r|l} 3x-4=5 & \\ \hline 3\cdot\frac{1}{3}-4 \stackrel{?}{=} 5 & \\ 1-4 & \\ -3 & \text{FALSE} \end{array}$$

The number $\frac{1}{3}$ is not a solution of the equation.

9.
$$\begin{array}{r|l} \frac{-x}{8}=-3 & \\ \hline \frac{-(-24)}{8} \stackrel{?}{=} -3 & \\ \frac{24}{8} & \\ 3 & \text{FALSE} \end{array}$$

The number -24 is not a solution of the equation.

10.
$$\begin{array}{r|l} 6(x-3)=36 & \\ \hline 6(9-3) \stackrel{?}{=} 36 & \\ 6(6) & \\ 36 & \text{TRUE} \end{array}$$

The number 9 is a solution of the equation.

11.
$$\begin{aligned} x-7 &= -10 \\ x-7+7 &= -10+7 \\ x &= -3 \end{aligned}$$

The number -3 checks, so it is the solution.

12.
$$\begin{aligned} -7x &= 56 \\ \frac{-7x}{-7} &= \frac{56}{-7} \\ x &= -8 \end{aligned}$$

The number -8 checks, so it is the solution.

13.
$$\begin{aligned} 8x-9 &= 23 \\ 8x &= 32 \quad \text{Adding 9} \\ x &= 4 \quad \text{Dividing by 8} \end{aligned}$$

The number 4 checks, so it is the solution.

14.
$$\begin{aligned} 1-x &= 3x-7 \\ 1 &= 4x-7 \quad \text{Adding } x \\ 8 &= 4x \quad \text{Adding 7} \\ 2 &= x \quad \text{Dividing by 4} \end{aligned}$$

The number 2 checks, so it is the solution.

15.
$$\begin{aligned} 2-4y &= -4y+2 \\ 2 &= 2 \quad \text{Adding } 4y \end{aligned}$$

We get an equation that is true for all real numbers, so all real numbers are solutions.

16.
$$\begin{aligned} \frac{3}{4}y+2 &= \frac{7}{2} \\ \frac{3}{4}y &= \frac{3}{2} \quad \text{Subtracting 2} \\ \frac{4}{3}\cdot\frac{3}{4}y &= \frac{4}{3}\cdot\frac{3}{2} \\ y &= 2 \quad \text{Simplifying} \end{aligned}$$

The number 2 checks, so it is the solution.

17.
$$\begin{aligned} 5t-9 &= 7t-4 \\ -9 &= 2t-4 \quad \text{Subtracting } 5t \\ -5 &= 2t \quad \text{Adding 4} \\ -\frac{5}{2} &= t \quad \text{Dividing by 2} \end{aligned}$$

The number $-\frac{5}{2}$ checks, so it is the solution.

18.
$$\begin{aligned} 4x-11 &= 11+4x \\ -11 &= 11 \quad \text{Subtracting } 4x \end{aligned}$$

We get a false equation. The equation has no solution.

19. $2(y-4) = 8y$
$2y - 8 = 8y$
$-8 = 6y$ Subtracting $2y$
$-\frac{4}{3} = y$ Dividing by 6

The number $-\frac{4}{3}$ checks, so it is the solution.

20. $4y - (y-1) = 16$
$4y - y + 1 = 16$
$3y + 1 = 16$ Collecting like terms
$3y = 15$ Subtracting 1
$y = 5$ Dividing by 3

The number 5 checks, so it is the solution.

21. $t - 3(t-4) = 9$
$t - 3t + 12 = 9$
$-2t + 12 = 9$ Collecting like terms
$-2t = -3$ Subtracting 12
$t = \frac{3}{2}$ Dividing by -2

The number $\frac{3}{2}$ checks, so it is the solution.

22. $6(2x+3) = 10 - (4x-5)$
$12x + 18 = 10 - 4x + 5$
$12x + 18 = 15 - 4x$ Collecting like terms
$16x + 18 = 15$ Adding $4x$
$16x = -3$ Subtracting 18
$x = -\frac{3}{16}$ Dividing by 16

The number $-\frac{3}{16}$ checks, so it is the solution.

23. $P = mn$
$\frac{P}{m} = n$ Dividing by m

24. $z = 3t + 3w$
$z - 3w = 3t$ Subtracting $3w$
$\frac{z-3w}{3} = t,$ or Dividing by 3
$\frac{z}{3} - w = t$

25. $N = \frac{r+s}{4}$
$4N = r + s$ Multiplying by 4
$4N - r = s$ Subtracting r

26. $T = 1.5\frac{A}{B}$
$BT = 1.5A$ Multiplying by B
$B = \frac{1.5A}{T},$ or $1.5\frac{A}{T}$

27. $H = \frac{2}{3}(t-5)$
$\frac{3}{2}H = t - 5$ Multiplying by $\frac{3}{2}$
$\frac{3}{2}H + 5 = t,$ or Adding 5
$\frac{3H+10}{2} = t$

28. $f = g + ghm$
$f = g(1+hm)$ Factoring
$\frac{f}{1+hm} = g$ Dividing by $1+hm$

29. ***Familiarize***. Let s = total sales of DVDs in 2007, in billions of dollars.

Translate.

2007 sales	less	9%	is	2008 sales
$\downarrow$	$\downarrow$	$\downarrow$	$\downarrow$	$\downarrow$
s	$-$	$0.09s$	$=$	14.5

Solve.
$s - 0.09s = 14.5$
$0.91s = 14.5$
$s \approx 15.9$

Check. 9% of \$15.9 billion is 0.09(\$15.9 billion) = \$1.431 billion and \$14.5 billion + \$1.431 billion = \$15.931 billion ≈ \$15.9 billion. The answer checks.

State. In 2007, DVD sales totaled about \$15.9 billion.

30. ***Familiarize***. Let d = Domino's total sales in 2008, in blllions of dollars.

Translate.

Pizza Hut's sales	were	\$4.8 billion	more than	Domino's sales
$\downarrow$	$\downarrow$	$\downarrow$	$\downarrow$	$\downarrow$
10.2	$=$	4.8	$+$	d

Solve.
$10.2 = 4.8 + d$
$5.4 = d$

Check. \$4.8 billion more than \$5.4 billion is \$4.8 billion + \$5.4 billion, or \$10.2 billion. The answer checks.

State. Domino's sales totaled \$5.4 billion in 2008.

31. ***Familiarize***. Let l = the length of the carpet, in feet. Then $l - 2$ = the width.

Translate. We substitute in the formula for the perimeter of a rectangle, $P = 2l + 2w$.

$24 = 2l + 2(l-2)$

Solve.
$24 = 2l + 2l - 4$
$24 = 4l - 4$
$28 = 4l$
$7 = l$

If $l = 7$, then $l - 2 = 7 - 2 = 5$.

Check. The width, 5 ft, is 2 ft less than the length, 7 ft. The perimeter is $2 \cdot 7$ ft $+ 2 \cdot 5$ ft, or 14 ft + 10 ft, or 24 ft. The answer checks.

State. The length of the carpet is 7 ft, and the width is 5 ft.

32. First we will find how long it will take Frederick to travel 18 mi downstream.

Familiarize. Let t = the time, in hours, it will take Frederick to travel 18 mi downstream. The speed of the boat traveling downstream is $9 + 3$, or 12 mph.

Translate. We will substitute in the formula $d = rt$.

$$18 = 12t$$

Solve.

$$18 = 12t$$
$$\frac{18}{12} = t$$
$$1.5 = t \qquad \text{Simplifying}$$

Check. At a speed of 12 mph, in 1.5 hr the boat travels 12(1.5), or 18 mi. The answer checks.

State. It will take Frederick 1.5 hr to travel 18 mi downstream.

Now we will find how long it will take Frederick to travel 18 mi upstream.

Familiarize. Let t = the time, in hours, it will take Frederick to travel 18 mi upstream. The speed of the boat traveling upstream is $9 - 3$, or 6 mph.

Translate. We will substitute in the formula $d = rt$.

$$18 = 6t$$

Solve.

$$18 = 6t$$
$$3 = t$$

Check. At a speed of 6 mph, in 3 hr the boat travels $6 \cdot 3$, or 18 mi. The answer checks.

State. It will take Frederick 3 hr to travel 18 mi upstream.

33. Equivalent expressions have the same value for all possible replacements. Any replacement that does not make any of the expressions undefined can be substituted for the variable. Equivalent equations have the same solution(s). True equations result only when a solution is substituted for the variable.

34. Answers may vary. A walker who knows how far and how long she walks each day wants to know her average speed each day.

35. Answers may vary. A decorator wants to have a carpet cut for a bedroom. The perimeter of the room is 54 ft and its length is 15 ft. How wide should the carpet be?

36. We can subtract by adding an opposite, so we can use the addition principle to subtract the same number on both sides of an equation. Similarly, we can divide by multiplying by a reciprocal, so we can use the multiplication principle to divide both sides of an equation by the same number.

37. The manner in which a guess or estimate is manipulated can give insight into the form of the equation to which the problem will be translated.

38. Labeling the variable clearly makes the Translate step more accurate. It also allows us to determine if the solution of the equation we translated to provides the information asked for in the original problem.

Exercise Set 1.4

2. $3x + 5 \le -10$

-5 : $3(-5) + 5 \le -10$, or $-10 \le -10$ is true.
-5 is a solution.

-10 : $3(-10) + 5 \le -10$, or $-25 \le -10$ is true.
-10 is a solution.

0 : $3 \cdot 0 + 5 \le -10$, or $5 \le -10$ is false.
0 is not a solution.

27 : $3 \cdot 27 + 5 \le -10$, or $86 \le -10$ is false.
27 is not a solution.

4. $5y - 7 < 8 - y$

2 : $5 \cdot 2 - 7 < 8 - 2$, or $3 < 6$ is true.
2 is a solution.

-3 : $5(-3) - 7 < 8 - (-3)$, or $-22 < 11$ is true.
-3 is a solution.

0 : $5 \cdot 0 - 7 < 8 - 0$, or $-7 < 8$ is true.
0 is a solution.

3 : $5 \cdot 3 - 7 < 8 - 3$, or $8 < 5$ is false.
3 is not a solution.

$\frac{2}{3}$: $5 \cdot \frac{2}{3} - 7 < 8 - \frac{2}{3}$, or $-\frac{11}{3} < \frac{22}{3}$ is true.
$\frac{2}{3}$ is a solution.

6. $[-5, \infty)$

8. $(-10, 10]$

10. $\{x|13 > x \ge 5\} = \{x|5 \le x < 13\} = [5, 13)$

12. $[-20, 30)$

14. $(-\infty, 8]$

16. $x + 8 > 4$

$x > -4$

$\{x|x > -4\}$, or $(-4, \infty)$



18. $y + 4 < 10$

$y < 6$

$\{y|y < 6\}$, or $(-\infty, 6)$



20. $a + 6 \le -14$

$a \le -20$

$\{a|a \le -20\}$, or $(-\infty, -20]$



22. $x - 8 \le 17$

$x \le 25$

$\{x|x \le 25\}$, or $(-\infty, 25]$



24. $y - 9 > -18$

$y > -9$

$\{y|y > -9\}$, or $(-9, \infty)$



26. $y - 18 \le -4$

$y \le 14$

$\{y|y \le 14\}$, or $(-\infty, 14]$



28. $8t < -56$

$t < -7$

$\{t|t < -7\}$, or $(-\infty, -7)$



30. $0.6x < 30$

$x < 50$

$\{x|x < 50\}$, or $(-\infty, 50)$



32. $\frac{3}{5}x > -3$

$x > -5$

$\{x|x > -5\}$, or $(-5, \infty)$



34. $-5y \le 3.5$

$y \ge -0.7$

$\{y|y \ge -0.7\}$, or $[-0.7, \infty)$

36. $-\frac{1}{8}y \le -\frac{9}{8}$

$y \ge 9$

$\{y|y \ge 9\}$, or $[9, \infty)$

38. $5y + 13 > 28$

$5y > 15$

$y > 3$

$\{y|y > 3\}$, or $(3, \infty)$

40. $-9x + 3x \ge -24$

$-6x \ge -24$

$x \le 4$

$\{x|x \le 4\}$, or $(-\infty, 4]$

42. $8x - 9 < 3x - 11$

$5x < -2$

$x < -\frac{2}{5}$

$\left\{x \middle| x < -\frac{2}{5}\right\}$, or $\left(-\infty, -\frac{2}{5}\right)$

44. $0.2y + 1 > 2.4y - 10$

$-2.2y > -11$

$y < 5$

$\{y|y < 5\}$, or $(-\infty, 5)$

46. $2x - 3 < \frac{13}{4}x + 10 - 1.25x$

$8x - 12 < 13x + 40 - 5x$

$8x - 12 < 8x + 40$

$-12 < 40$ True for all real numbers

The solution set is all real numbers, or $(-\infty, \infty)$.

48. $2m + 5 \ge 16(m - 4)$

$2m + 5 \ge 16m - 64$

$69 \ge 14m$

$\frac{69}{14} \ge m$

$\left\{m \middle| m \le \frac{69}{14}\right\}$, or $\left(-\infty, \frac{69}{14}\right]$

50. $2(0.5 - 3y) + y > (4y - 0.2)8$

$1 - 6y + y > 32y - 1.6$

$1 - 5y > 32y - 1.6$

$-37y > -2.6$

$y < \frac{2.6}{37}$

$y < \frac{13}{185}$

$\left\{y \middle| y < \frac{13}{185}\right\}$, or $\left(-\infty, \frac{13}{185}\right)$

52. $[8x - 3(3x + 2)] - 5 \ge 3(x + 4) - 2x$

$[8x - 9x - 6] - 5 \ge 3x + 12 - 2x$

$-x - 11 \ge x + 12$

$-2x \ge 23$

$x \le -\frac{23}{2}$

$\left\{x \middle| x \le -\frac{23}{2}\right\}$, or $\left(-\infty, -\frac{23}{2}\right]$

54. $5(t+3)+9 < 3(t-2)+6$

$5t+15+9 < 3t-6+6$

$5t+24 < 3t$

$2t < -24$

$t < -12$

$\{t|t<-12\}$, or $(-\infty,-12)$

56. $13-(2c+2) \geq 2(c+2)+3c$

$13-2c-2 \geq 2c+4+3c$

$11-2c \geq 5c+4$

$-7c \geq -7$

$c \leq 1$

$\{c|c \leq 1\}$, or $(-\infty, 1]$

58. $\frac{1}{3}(6x+24)-20 > -\frac{1}{4}(12x-72)$

$2x+8-20 > -3x+18$

$5x > 30$

$x > 6$

$\{x|x>6\}$, or $(6,\infty)$

60. $5[3(7-t)-4(8+2t)]-20 \leq -6[2(6+3t)-4]$

$5[21-3t-32-8t]-20 \leq -6[12+6t-4]$

$5[-11-11t]-20 \leq -6[8+6t]$

$-55-55t-20 \leq -48-36t$

$-19t \leq 27$

$t \geq -\frac{27}{19}$

$\left\{t\middle|t \geq -\frac{27}{19}\right\}$, or $\left[-\frac{27}{19},\infty\right)$

62. $\frac{2}{3}(4x-3) > 30$

$4x-3 > 45$ Multiplying by $\frac{3}{2}$

$4x > 48$

$x > 12$

$\{x|x>12\}$, or $(12,\infty)$

64. $\frac{7}{8}(5-4x)-17 \geq 38$

$7(5-4x)-136 \geq 304$

$35-28x-136 \geq 304$

$-28x \geq 405$

$x \leq -\frac{405}{28}$

$\left\{x\middle|x \leq -\frac{405}{28}\right\}$, or $\left(-\infty,-\frac{405}{28}\right]$

66. $\frac{2}{3}\left(\frac{7}{8}-4x\right)-\frac{5}{8} < \frac{3}{8}$

$\frac{7}{12}-\frac{8x}{3}-\frac{5}{8} < \frac{3}{8}$

$14-64x-15 < 9$

$-64x < 10$

$x > -\frac{10}{64}$, or $-\frac{5}{32}$

$\left\{x\middle|x > -\frac{5}{32}\right\}$, or $\left(-\frac{5}{32},\infty\right)$

68. $0.9(2x+8) < 20-(x+5)$

$9(2x+8) < 200-10(x+5)$

$18x+72 < 200-10x-50$

$28x < 78$

$x < \frac{78}{28}$, or $\frac{39}{14}$

$\left\{x\middle|x < \frac{39}{14}\right\}$, or $\left(-\infty,\frac{39}{14}\right)$

70. $0.8-4(b-1) > 0.2+3(4-b)$

$8-40(b-1) > 2+30(4-b)$

$8-40b+40 > 2+120-30b$

$48-40b > 122-30b$

$-10b > 74$

$b < -\frac{74}{10}$, or -7.4

$\{b|b<-7.4\}$, or $(-\infty,-7.4)$

72. $\frac{703W}{67^2} < 25$

$W < 159.6$ Rounding

Weights of less than approximately 159.6 lb will keep Elaine's body mass index below 25. In terms of an inequality we write $\{W|W <$ (approximately) 159.6 lb$\}$.

74. Let $x =$ the score on the fourth test. It is possible to score 100 on the fifth test, so we have the following:

$94+90+89+x+100 \geq 450$

$x+373 \geq 450$

$x \geq 77$

You must score 77 or better. In terms of an inequality we write $\{x|x \geq 77\}$.

76. Let $m =$ the number of miles for which PDQ is less expensive. Solve:

$25+0.75(m-10) < 15+1.25(m-10)$

$25+0.75m-7.5 < 15+1.25m-12.5$

$15 < 0.5m$

$30 < m$

For deliveries of more than 30 mi, PDQ is less expensive. In terms of an inequality, we write $\{m|m > 30$ mi$\}$.

78. $12.50n > 300 + 9n$

$3.5n > 300$

$n > 85\frac{5}{7}$

Plan B is better for values of n greater than $85\frac{5}{7}$ hr. In terms of an inequality we write $\left\{n \middle| n > 85\frac{5}{7} \text{ hr}\right\}$.

80. Let b = the amount of Giselle's medical bills.

$250 + 0.1(b - 250) < 50 + 0.2(b - 50)$

$250 + 0.1b - 25 < 50 + 0.2b - 10$

$185 < 0.1b$

$1850 < b$

Plan B will save Giselle money for medical bills greater than \$1850. In terms of an inequality we write $\{b|b > \$1850\}$.

82. Let x = the amount invested at 3%.

$0.03x + 0.04(20,000 - x) \geq 650$

$0.03x + 800 - 0.04x \geq 650$

$-0.01x \geq -150$

$x \leq 15,000$

Lillian can invest at most \$15,000 at 3% and still be guaranteed at least \$650 in interest per year.

84. a) $\frac{5}{9}(F - 32) < 1063$

$F - 32 < 1913.4$ Multiplying by $\frac{9}{5}$

$F < 1945.4$

Gold is solid at temperatures less than 1945.4°F.

In terms of an inequality we write $\{F|F < 1945.4\}$.

b) $\frac{5}{9}(F - 32) < 960.8$

$F - 32 < 1729.44$

$F < 1761.44$

Silver is solid at temperatures less than 1761.44°F. In terms of an inequality we write $\{F|F < 1761.44\}$.

86. Let d = the dewpoint spread. Then $\frac{d}{3}$ = the number of 3° blocks of dewpoint spread. Note that the number of thousands in 3500 is $\frac{3500}{1000}$, or 3.5.

$\frac{d}{3} > 3.5$

$d > 10.5$

Dewpoint spreads greater than 10.5° will allow the plane to fly.

88. $2(x - y) + 10(3x - 7y)$

$= 2x - 2y + 30x - 70y$

$= 32x - 72y$

90. $-3(2a - 3b) + 8b$

$= -6a + 9b + 8b$

$= -6a + 17b$

92. $-12a + 30ab = -6a(2 - 5b)$

94. $10n - 45mn + 100m = 5(2n - 9mn + 20m)$

96. $-2.3 + 8.9 = 6.6$

98. $-2.3 - (-8.9) = -2.3 + 8.9 = 6.6$

100. False; $-3 < -2$, but $(-3)^2 > (-2)^2$.

102. No. Let $x = 2$. Then $x < 3$ is true, but $0 \cdot x < 0 \cdot 3$, or $0 < 0$, is false.

104. $x + 8 < 3 + x$

$8 < 3$ Subtracting x

We get a false inequality. Thus, the original inequality has no solution.

Exercise Set 1.5

2. $\{1, 5, 10, 15\} \cap \{5, 15, 20\} = \{5, 15\}$

4. $\{\text{m, n, o, p}\} \cap \{\text{m, o, p}\} = \{\text{m, o, p}\}$

6. $\{1, 5, 10, 15\} \cup \{5, 15, 20\} = \{1, 5, 10, 15, 20\}$

8. $\{\text{m, n, o, p}\} \cup \{\text{m, o, p}\} = \{\text{m, n, o, p}\}$

10. $\{\text{a, e, i, o, u}\} \cap \{\text{m, q, w, s, t}\} = \emptyset$

12. $\{3, 5, 7\} \cap \emptyset = \emptyset$

14. Interval notation for $-\frac{5}{2} \leq m \text{ and } m < \frac{3}{2}$ is $\left[-\frac{5}{2}, \frac{3}{2}\right)$.



16. Interval notation for $-3 \leq y \leq 4$ is $[-3, 4]$.



18. $-11 < 4x - 3$ *and* $4x - 3 \leq 13$

$-8 < 4x$ *and* $4x \leq 16$

$-2 < x$ *and* $x \leq 4$

$\{x| -2 < x \leq 4\}$, or $(-2, 4]$



20. $4x - 7 < 1$ *and* $7 - 3x > -8$

$4x < 8$ *and* $-3x > -15$

$x < 2$ *and* $x < 5$

$\{x|x < 2\}$, or $(-\infty, 2)$



22. $5-7x>19$ *and* $2-3x<-4$

$-7x>14$ *and* $-3x<-6$

$x<-2$ *and* $x>2$

$\emptyset$

24. $-6<x+6\le 8$

$-12<x\le 2$

$\{x|-12<x\le 2\}$, or $(-12,2]$

26. $3>-x\ge -5$

$-3<x\le 5$ Multiplying by -1

$\{x|-3<x\le 5\}$, or $(-3,5]$

28. $-6\le x+1<9$

$-7\le x<8$

$\{x|-7\le x<8\}$, or $[-7,8)$

30. $5\le 8x+5\le 21$

$0\le 8x\le 16$

$0\le x\le 2$

$\{x|0\le x\le 2\}$, or $[0,2]$

32. $-6\le 2x-3<6$

$-6+3\le 2x-3+3<6+3$

$-3\le 2x<9$

$\frac{-3}{2}\le\frac{2x}{2}<\frac{9}{2}$

$-\frac{3}{2}\le x<\frac{9}{2}$

The solution set is $\left\{x\middle|-\frac{3}{2}\le x<\frac{9}{2}\right\}$, or $\left[-\frac{3}{2},\frac{9}{2}\right)$.

34. $4>-3m-7\ge 2$

$11>-3m\ge 9$

$-\frac{11}{3}<m\le -3$

$\left\{m\middle|-\frac{11}{3}<m\le -3\right\}$, or $\left(-\frac{11}{3},-3\right]$

36. $-\frac{2}{3}\le 4-\frac{1}{4}x<\frac{2}{3}$

$-\frac{14}{3}\le -\frac{1}{4}x<-\frac{10}{3}$

$\frac{56}{3}\ge x>\frac{40}{3}$

$\left\{x\middle|\frac{40}{3}<x\le\frac{56}{3}\right\}$, or $\left(\frac{40}{3},\frac{56}{3}\right]$

38. $-3<\frac{2x-5}{4}<8$

$4(-3)<4\left(\frac{2x-5}{4}\right)<4\cdot 8$

$-12<2x-5<32$

$-12+5<2x-5+5<32+5$

$-7<2x<37$

$\frac{-7}{2}<\frac{2x}{2}<\frac{37}{2}$

$-\frac{7}{2}<x<\frac{37}{2}$

$\left\{x\middle|-\frac{7}{2}<x<\frac{37}{2}\right\}$, or $\left(-\frac{7}{2},\frac{37}{2}\right)$.

40. $x<-4$ *or* $x>0$ can be written in interval notation as $(-\infty,-4)\cup(0,\infty)$.



42. $x\le -1$ *or* $x>3$ can be written in interval notation as $(-\infty,-1]\cup(3,\infty)$.



44. $x-2<-1$ *or* $x-2>3$

$x<1$ *or* $x>5$

$\{x|x<1 \text{ or } x>5\}$, or $(-\infty,1)\cup(5,\infty)$



46. $x-5\le -4$ *or* $2x-7\ge 3$

$x\le 1$ *or* $2x\ge 10$

$x\le 1$ *or* $x\ge 5$

$\{x|x\le 1 \text{ or } x\ge 5\}$, or $(-\infty,1]\cup[5,\infty)$



48. $4x-4<-8$ *or* $4x-4<12$

$4x<-4$ *or* $4x<16$

$x<-1$ *or* $x<4$

$\{x|x<4\}$, or $(-\infty,4)$



50. $6>2x-1$ *or* $-4\le 2x-1$

$6+1>2x-1+1$ *or* $-4+1\le 2x-1+1$

$7>2x$ *or* $-3\le 2x$

$\frac{1}{2}\cdot 7>\frac{1}{2}\cdot 2x$ *or* $\frac{1}{2}(-3)\le\frac{1}{2}\cdot 2x$

$\frac{7}{2}>x$ *or* $-\frac{3}{2}\le x$

All real numbers, or $(-\infty,\infty)$

52. $3x+2<2$ *or* $4-2x<14$

$3x<0$ *or* $-2x<10$

$x<0$ *or* $x>-5$

All real numbers, or $(-\infty,\infty)$

54. $-3m-7<-5$ *or* $-3m-7>5$

$-3m<2$ *or* $-3m>12$

$m>-\frac{2}{3}$ *or* $m<-4$

$\left\{m\middle|m<-4 \text{ or } m>-\frac{2}{3}\right\}$, or

$(-\infty,-4)\cup\left(-\frac{2}{3},\infty\right)$

56. $\frac{1}{4}-3x\le -3.7$ *or* $\frac{1}{4}-5x\ge 4.8$

$40\left(\frac{1}{4}-3x\right)\le 40(-3.7)$ *or* $40\left(\frac{1}{4}-5x\right)\ge 40(4.8)$

$10-120x\le -148$ *or* $10-200x\ge 192$

$-120x\le -158$ *or* $-200x\ge 182$

$x\ge \frac{79}{60}$ *or* $x\le -\frac{91}{100}$

$\left\{x\middle|x\le -\frac{91}{100} \text{ or } x\ge \frac{79}{60}\right\}$, or

$\left(-\infty,-\frac{91}{100}\right]\cup\left[\frac{79}{60},\infty\right)$

58. $\frac{7-3x}{5}<-4$ *or* $\frac{7-3x}{5}>4$

$7-3x<-20$ *or* $7-3x>20$

$-3x<-27$ *or* $-3x>13$

$x>9$ *or* $x<-\frac{13}{3}$

$\left\{x\middle|x<-\frac{13}{3} \text{ or } x>9\right\}$, or $\left(-\infty,-\frac{13}{3}\right)\cup(9,\infty)$

60. a) Solve: $1063^\circ\le \frac{5}{9}(F-32)<2660^\circ$

$1945.4^\circ\le F<4820^\circ$

b) Solve: $960.8^\circ\le \frac{5}{9}(F-32)<2180^\circ$

$1761.44^\circ\le F<3956^\circ$

62. Let c = the number of crossings per year. Then at the rate of \$6 per crossing, the total cost of c crossings is \$6c. Two six-month passes cost $2\cdot\$50$, or \$100. The additional toll of \$2 per crossing brings the total cost of c crossings to $\$100+\$2c$. A one-year pass costs \$400 regardless of the number of crossings.

Solve: $100+2c<6c$ *and* $100+2c<400$

We get $c>25$ *and* $c<150$, or $25<c<150$, so for more than 25 crossings but fewer than 150 crossings per year the six-month passes are the most economical choice. The solution set is $\{c|25<c<150\}$.

64. Solve: $18.5<\frac{703W}{67^2}<24.9$

$118.1<W<159.0$

The solution set is $\{W|118.1 \text{ lb}<W<159.0 \text{ lb}\}$.

66. Solve: $50<\frac{5d}{5+12}<100$

$170<d<340$

The solution set is $\{d|170 \text{ mg}<d<340 \text{ mg}\}$.

68. $|-5|+|7|=5+7=12$

70. $|7-7|=|0|=0$

72. $(-4a^5b^{-7})(5a^{-12}b^8)=-20a^{-7}b=-\frac{20b}{a^7}$

74. $(5p^6q^{11})^2=25p^{12}q^{22}$

76. $\left(\frac{125p^{11}q^{12}}{25p^6q^8}\right)^2=(5p^5q^4)^2=25p^{10}q^8$

78. $4m-8>6m$ *or* $5m-8<-2$

$-8>2m$ *or* $5m<6$

$-4>m$ *or* $m<\frac{6}{5}$

$\left\{m\middle|m<\frac{6}{5}\right\}$, or $\left(-\infty,\frac{6}{5}\right)$

80. $2[5(3-y)-2(y-2)]>y+4$

$2[15-5y-2y+4]>y+4$

$2[19-7y]>y+4$

$38-14y>y+4$

$-15y>-34$

$y<\frac{34}{15}$

$\left\{y\middle|y<\frac{34}{15}\right\}$, or $\left(-\infty,\frac{34}{15}\right)$

82. $2x-\frac{3}{4}<-\frac{1}{10}$ *or* $2x-\frac{3}{4}>\frac{1}{10}$

$2x<\frac{13}{20}$ *or* $2x>\frac{17}{20}$

$x<\frac{13}{40}$ *or* $x>\frac{17}{40}$

$\left\{x\middle|x<\frac{13}{40} \text{ or } x>\frac{17}{40}\right\}$, or $\left(-\infty,\frac{13}{40}\right)\cup\left(\frac{17}{40},\infty\right)$

84. $2x+3\le x-6$ *or* $3x-2\le 4x+5$

$x\le -9$ *or* $-7\le x$

$\{x|x\le -9 \text{ or } x\ge -7\}$, or $(-\infty,-9]\cup[-7,\infty)$

86. We can write $a\le c$ and $c\le b$ as $a\le c\le b$. Then $a\le b$, or $b\ge a$. The statement is true.

88. If $-a<c$, then $-1(-a)>-1\cdot c$, or $a>-c$. Then if $a>-c$ and $-c>b$, we have $a>-c>b$, so $a>b$ and the given statement is true.

Exercise Set 1.6

2. $|26x| = |26| \cdot |x| = 26|x|$

4. $|8x^2| = |8| \cdot |x^2| = 8x^2$

6. $|-20x^2| = |-20| \cdot |x^2| = 20x^2$

8. $|-17y| = |-17| \cdot |y| = 17|y|$

10. $\left|\frac{y}{3}\right| = \frac{|y|}{|3|} = \frac{|y|}{3}$

12. $\left|\frac{x^4}{-y}\right| = \frac{|x^4|}{|-y|} = \frac{x^4}{|y|}$

14. $\left|\frac{-9y^2}{3y}\right| = |-3y| = |-3| \cdot |y| = 3|y|$

16. $\left|\frac{5x^3}{-25x}\right| = \left|\frac{x^2}{-5}\right| = \frac{|x^2|}{|-5|} = \frac{x^2}{5}$

18. $|-7-(-32)| = |25| = 25$

20. $|52-18| = |34| = 34$

22. $|-1.8-(-3.7)| = |1.9| = 1.9$

24. $\left|\frac{2}{3} - \left(-\frac{5}{6}\right)\right| = \left|\frac{4}{6} + \frac{5}{6}\right| = \left|\frac{9}{6}\right| = \frac{3}{2}$

26. $|x| = 5$

$x = -5 \text{ or } x = 5$

$\{-5, 5\}$

28. $|x| = -9$

The absolute value of a number is always nonnegative. The solution set is $\emptyset$.

30. $|y| = 7.4$

$y = -7.4 \text{ or } y = 7.4$

$\{-7.4, 7.4\}$

32. $|3x-2| = 6$

$3x - 2 = -6 \quad or \quad 3x - 2 = 6$

$3x = -4 \quad or \quad 3x = 8$

$x = -\frac{4}{3} \quad or \quad x = \frac{8}{3}$

$\left\{-\frac{4}{3}, \frac{8}{3}\right\}$

34. $|5x+2| = 3$

$5x + 2 = -3 \quad or \quad 5x + 2 = 3$

$5x = -5 \quad or \quad 5x = 1$

$x = -1 \quad or \quad x = \frac{1}{5}$

$\left\{-1, \frac{1}{5}\right\}$

36. $|9y-2| = 17$

$9y - 2 = -17 \quad or \quad 9y - 2 = 17$

$9y = -15 \quad or \quad 9y = 19$

$y = -\frac{5}{3} \quad or \quad y = \frac{19}{9}$

$\left\{-\frac{5}{3}, \frac{19}{9}\right\}$

38. $|x| - 2 = 6.3$

$|x| = 8.3$

$x = -8.3 \text{ or } x = 8.3$

$\{-8.3, 8.3\}$

40. $-562 = -2000 + |x|$

$1438 = |x|$

$x = -1438 \text{ or } x = 1438$

$\{-1438, 1438\}$

42. $|2y| = 18$

$2y = -18 \quad or \quad 2y = 18$

$y = -9 \quad or \quad y = 9$

$\{-9, 9\}$

44. $|6x| + 8 = 32$

$|6x| = 24$

$6x = -24 \quad or \quad 6x = 24$

$x = -4 \quad or \quad x = 4$

$\{-4, 4\}$

46. $5|x| + 10 = 26$

$5|x| = 16$

$|x| = \frac{16}{5}$

$x = -\frac{16}{5} \text{ or } x = \frac{16}{5}$

$\left\{-\frac{16}{5}, \frac{16}{5}\right\}$

48. $\left|\frac{4-5x}{6}\right| = 7$

$\frac{4-5x}{6} = -7 \quad or \quad \frac{4-5x}{6} = 7$

$4 - 5x = -42 \quad or \quad 4 - 5x = 42$

$-5x = -46 \quad or \quad -5x = 38$

$x = \frac{46}{5} \quad or \quad x = -\frac{38}{5}$

$\left\{-\frac{38}{5}, \frac{46}{5}\right\}$

50. $|t-7| - 5 = 4$

$|t-7| = 9$

$t - 7 = -9 \quad or \quad t - 7 = 9$

$t = -2 \quad or \quad t = 16$

$\{-2, 16\}$

52. $2|2x-7|+11=25$

$2|2x-7|=14$

$|2x-7|=7$

$2x-7=-7 \quad or \quad 2x-7=7$

$2x=0 \quad or \quad 2x=14$

$x=0 \quad or \quad x=7$

$\{0,7\}$

54. $|x-6|=-8$

The absolute value of a number is always nonnegative. The solution set is $\emptyset$.

56. $\left|\frac{2}{3}-4x\right|=\frac{4}{5}$

$\frac{2}{3}-4x=-\frac{4}{5} \quad or \quad \frac{2}{3}-4x=\frac{4}{5}$

$-4x=-\frac{22}{15} \quad or \quad -4x=\frac{2}{15}$

$x=\frac{11}{30} \quad or \quad x=-\frac{1}{30}$

$\left\{-\frac{1}{30}, \frac{11}{30}\right\}$

58. $|2x-8|=|x+3|$

$2x-8=x+3 \quad or \quad 2x-8=-(x+3)$

$x=11 \quad or \quad 2x-8=-x-3$

$x=11 \quad or \quad 3x=5$

$x=11 \quad or \quad x=\frac{5}{3}$

$\left\{11, \frac{5}{3}\right\}$

60. $|x-15|=|x+8|$

$x-15=x+8 \quad or \quad x-15=-(x+8)$

$-15=8 \quad or \quad x-15=-x-8$

$-15=8 \quad or \quad 2x=7$

$-15=8 \quad or \quad x=\frac{7}{2}$

The first equation has no solution. The solution set is $\left\{\frac{7}{2}\right\}$.

62. $|5p+7|=|4p+3|$

$5p+7=4p+3 \quad or \quad 5p+7=-(4p+3)$

$p=-4 \quad or \quad 5p+7=-4p-3$

$p=-4 \quad or \quad 9p=-10$

$p=-4 \quad or \quad p=-\frac{10}{9}$

$\left\{-4, -\frac{10}{9}\right\}$

64. $|m-7|=|7-m|$

$m-7=7-m \quad or \quad m-7=-(7-m)$

$2m=14 \quad or \quad m-7=-7+m$

$m=7 \quad or \quad 0=0$

All real numbers are solutions.

66. $|8-q|=|q+19|$

$8-q=q+19 \quad or \quad 8-q=-(q+19)$

$-2q=11 \quad or \quad 8-q=-q-19$

$q=-\frac{11}{2} \quad or \quad 8=-19$

The second equation has no solution. The solution set is $\left\{-\frac{11}{2}\right\}$.

68. $\left|\frac{6-8x}{5}\right|=\left|\frac{7+3x}{2}\right|$

$\frac{6-8x}{5}=\frac{7+3x}{2} \quad or \quad \frac{6-8x}{5}=-\left(\frac{7+3x}{2}\right)$

$12-16x=35+15x \quad or \quad 12-16x=-35-15x$

$-31x=23 \quad or \quad -x=-47$

$x=-\frac{23}{31} \quad or \quad x=47$

$\left\{-\frac{23}{31}, 47\right\}$

70. $\left|2-\frac{2}{3}x\right|=\left|4+\frac{7}{8}x\right|$

$2-\frac{2}{3}x=4+\frac{7}{8}x \quad or \quad 2-\frac{2}{3}x=-\left(4+\frac{7}{8}x\right)$

$-\frac{37}{24}x=2 \quad or \quad 2-\frac{2}{3}x=-4-\frac{7}{8}x$

$x=-\frac{48}{37} \quad or \quad \frac{5}{24}x=-6$

$x=-\frac{48}{37} \quad or \quad x=-\frac{144}{5}$

$\left\{-\frac{48}{37}, -\frac{144}{5}\right\}$

72. $|x| \le 5$

$-5 \le x \le 5$

$\{x|-5 \le x \le 5\}$, or $[-5,5]$

74. $|y|>12$

$y<-12 \quad or \quad y>12$

$\{y|y<-12 \quad or \quad y>12\}$, or $(-\infty,-12)\cup(12,\infty)$

76. $|x+4| \le 9$

$-9 \le x+4 \le 9$

$-13 \le x \le 5$

$\{x|-13 \le x \le 5\}$, or $[-13,5]$

78. $2|x-2|>6$

$|x-2|>3$

$x-2<-3 \quad or \quad x-2>3$

$x<-1 \quad or \quad x>5$

$\{x|x<-1 \quad or \quad x>5\}$, or $(-\infty,-1)\cup(5,\infty)$

80. $|5x+2| \le 3$

$-3 \le 5x+2 \le 3$

$-5 \le 5x \le 1$

$-1 \le x \le \frac{1}{5}$

$\left\{x\middle| -1 \le x \le \frac{1}{5}\right\}$, or $\left[-1, \frac{1}{5}\right]$

82. $|3y-4|>8$

$3y-4<-8 \quad or \quad 3y-4>8$

$3y<-4 \quad or \quad 3y>12$

$y<-\frac{4}{3} \quad or \quad y>4$

$\left\{y \middle| y<-\frac{4}{3} \text{ or } y>4\right\}$, or $\left(-\infty,-\frac{4}{3}\right)\cup(4,\infty)$

84. $|9y-2|\geq 17$

$9y-2\leq -17 \quad or \quad 9y-2\geq 17$

$9y\leq -15 \quad or \quad 9y\geq 19$

$y\leq -\frac{5}{3} \quad or \quad y\geq \frac{19}{9}$

$\left\{y \middle| y\leq -\frac{5}{3} \text{ or } y\geq \frac{19}{9}\right\}$, or

$\left(-\infty,-\frac{5}{3}\right]\cup\left[\frac{19}{9},\infty\right)$

86. $|p-2|<6$

$-6<p-2<6$

$-4<p<8$

$\{p|-4<p<8\}$, or $(-4,8)$

88. $|5x+2|\leq 13$

$-13\leq 5x+2\leq 13$

$-15\leq 5x\leq 11$

$-3\leq x\leq \frac{11}{5}$

$\left\{x \middle| -3\leq x\leq \frac{11}{5}\right\}$, or $\left[-3,\frac{11}{5}\right]$

90. $|7-2y|>5$

$7-2y<-5 \quad or \quad 7-2y>5$

$-2y<-12 \quad or \quad -2y>-2$

$y>6 \quad or \quad y<1$

$\{y|y<1 \text{ or } y>6\}$, or $(-\infty,1)\cup(6,\infty)$

92. $|2-9p|\geq 17$

$2-9p\leq -17 \quad or \quad 2-9p\geq 17$

$-9p\leq -19 \quad or \quad -9p\geq 15$

$p\geq \frac{19}{9} \quad or \quad p\leq -\frac{5}{3}$

$\left\{p \middle| p\leq -\frac{5}{3} \text{ or } p\geq \frac{19}{9}\right\}$, or

$\left(-\infty,-\frac{5}{3}\right]\cup\left[\frac{19}{9},\infty\right)$

94. $|-5-7x|\leq 30$

$-30\leq -5-7x\leq 30$

$-25\leq -7x\leq 35$

$\frac{25}{7}\geq x\geq -5$

$\left\{x \middle| -5\leq x\leq \frac{25}{7}\right\}$, or $\left[-5,\frac{25}{7}\right]$

96. $\left|\frac{1}{4}y-6\right|>24$

$\frac{1}{4}y-6<-24 \quad or \quad \frac{1}{4}y-6>24$

$\frac{1}{4}y<-18 \quad or \quad \frac{1}{4}y>30$

$y<-72 \quad or \quad y>120$

$\{y|y<-72 \text{ or } y>120\}$, or $(-\infty,-72)\cup(120,\infty)$

98. $\left|\frac{x+5}{4}\right|\leq 2$

$-2\leq \frac{x+5}{4}\leq 2$

$-8\leq x+5\leq 8$

$-13\leq x\leq 3$

$\{x|-13\leq x\leq 3\}$, or $[-13,3]$

100. $\left|\frac{1+3x}{5}\right|>\frac{7}{8}$

$\frac{1+3x}{5}<-\frac{7}{8} \quad or \quad \frac{1+3x}{5}>\frac{7}{8}$

$1+3x<-\frac{35}{8} \quad or \quad 1+3x>\frac{35}{8}$

$3x<-\frac{43}{8} \quad or \quad 3x>\frac{27}{8}$

$x<-\frac{43}{24} \quad or \quad x>\frac{9}{8}$

$\left\{x \middle| x<-\frac{43}{24} \text{ or } x>\frac{9}{8}\right\}$, or

$\left(-\infty,-\frac{43}{24}\right)\cup\left(\frac{9}{8},\infty\right)$

102. $|t-7|+3\geq 4$

$|t-7|\geq 1$

$t-7\leq -1 \quad or \quad t-7\geq 1$

$t\leq 6 \quad or \quad t\geq 8$

$\{t|t\leq 6 \text{ or } t\geq 8\}$, or $(-\infty,6]\cup[8,\infty)$

104. $16\leq |2x-3|+9$

$7\leq |2x-3|$

$2x-3\leq -7 \quad or \quad 2x-3\geq 7$

$2x\leq -4 \quad or \quad 2x\geq 10$

$x\leq -2 \quad or \quad x\geq 5$

$\{x|x\leq -2 \text{ or } x\geq 5\}$, or $(-\infty,-2]\cup[5,\infty)$

106. $\left|\frac{3x-2}{5}\right|\geq 1$

$\frac{3x-2}{5}\leq -1 \quad or \quad \frac{3x-2}{5}\geq 1$

$3x-2\leq -5 \quad or \quad 3x-2\geq 5$

$3x\leq -3 \quad or \quad 3x\geq 7$

$x\leq -1 \quad or \quad x\geq \frac{7}{3}$

$\left\{x \middle| x\leq -1 \text{ or } x\geq \frac{7}{3}\right\}$, or $(-\infty,-1]\cup\left[\frac{7}{3},\infty\right)$

108. Two sets with an empty intersection are said to be disjoint.

110. Interval notation for $\{x|a \le x \le b\}$ is $[a, b]$.

112. An equation is a number sentence that says that the expression on either side of the equals sign represents the same number.

114. An inequality is any sentence containing $<$, $>$, $\le$, $\ge$, or $\ne$.

116. $l \ge w + 3$,
$2l + 2w \le 24$

The width must be more than 0 in. The maximum value of w occurs when $l = w + 3$. Then

$$\begin{aligned} 2l + 2w &\le 24 \\ 2(w+3) + 2w &\le 24 \\ 2w + 6 + 2w &\le 24 \\ 4w + 6 &\le 24 \\ 4w &\le 18 \\ w &\le 4.5 \end{aligned}$$

Thus, the solution set is $\{w|0 \text{ in.} < w \le 4.5 \text{ in.}\}$.

118.
$$\begin{aligned} 1 - \left|\frac{1}{4}x + 8\right| &= \frac{3}{4} \\ -\left|\frac{1}{4}x + 8\right| &= -\frac{1}{4} \\ \left|\frac{1}{4}x + 8\right| &= \frac{1}{4} \end{aligned}$$

$$\frac{1}{4}x + 8 = \frac{1}{4} \quad or \quad \frac{1}{4}x + 8 = -\frac{1}{4}$$
$$\frac{1}{4}x = -\frac{31}{4} \quad or \quad \frac{1}{4}x = -\frac{33}{4}$$
$$x = -31 \quad or \quad x = -33$$

$\{-31, -33\}$

120. $|x-1| = x-1$ only when $x - 1 \ge 0$, or $x \ge 1$. The solution set is $\{x|x \ge 1\}$, or $[1, \infty)$.

122. $|3x - 4| > -2$

From the definition of absolute value we know that $|3x - 4| \ge 0$. Thus, $|3x - 4| > -2$ is true for all x. The solution set is the set of all real numbers.

124. $\left|\frac{5}{9} + 3x\right| < -\frac{1}{6}$

From the definition of absolute value we know that $\left|\frac{5}{9} + 3x\right| \ge 0$. Thus $\left|\frac{5}{9} + 3x\right| < -\frac{1}{6}$ is false for all x.

The solution set is $\emptyset$.

126. $|y| \le 5$

128. $-5 < x < 1$
$-3 < x + 2 < 3$ Adding 2
$|x + 2| < 3$

Chapter 1 Concept Reinforcement

1. True; see page 77 in the text.

2. False; the variable t appears on both sides of the formula $t = \frac{3B - mt}{n}$, so the original formula has not been solved for t.

3. False; see page 117 in the text.

4. False; numbers in the interval $(1, 2)$ are solutions of $x < 2$, but they are not solutions of $x \le 1$.

5. True; see page 141 in the text.

6. False; $|0| = 0$.

7. True; we have
$|a - b| = |-1 \cdot (-a + b)| = |-1| \cdot |-a + b| = 1 \cdot |-a + b| = |-a + b|$, or $|b - a|$.

Chapter 1 Important Concepts

1.
$$\begin{aligned} 2(x+2) &= 5(x-4) \\ 2x + 4 &= 5x - 20 \\ 4 &= 3x - 20 \\ 24 &= 3x \\ 8 &= x \end{aligned}$$

The solution is 8.

2.
$$\begin{aligned} F &= \frac{1}{4}gh \\ 4F &= gh \\ \frac{4F}{g} &= h \end{aligned}$$

3.
$$\begin{aligned} 5y + 5 &< 2y - 1 \\ 3y + 5 &< -1 \\ 3y &< -6 \\ y &< -2 \end{aligned}$$

The solution set is $\{y|y < -2\}$, or $(-\infty, -2)$.

The graph of the solution set is shown below.



4.
$$\begin{aligned} -4 &\le 5x + 6 < 11 \\ -10 &\le 5x < 5 \\ -2 &\le x < 1 \end{aligned}$$

The solution set is $\{x| -2 \le x < 1\}$, or $[-2, 1)$.

The graph of the solution set is shown below.



5. $x+4<3 \quad or \quad 4x+1\geq 5$

$x<-1 \quad or \quad 4x\geq 4$

$x<-1 \quad or \quad x\geq 1$

The solution set is $\{x|x<-1 \text{ or } x\geq 1\}$, or $(-\infty,-1)\cup[1,\infty)$.

6. $|5x-1|=9$

$5x-1=-9 \quad or \quad 5x-1=9$

$5x=-8 \quad or \quad 5x=10$

$x=-\frac{8}{5} \quad or \quad x=2$

The solution set is $\left\{-\frac{8}{5},2\right\}$.

7. $|z+4|=|3z-2|$

$z+4=3z-2 \quad or \quad z+4=-(3z-2)$

$-2z+4=-2 \quad or \quad z+4=-3z+2$

$-2z=-6 \quad or \quad 4z+4=2$

$z=3 \quad or \quad 4z=-2$

$z=3 \quad or \quad z=-\frac{1}{2}$

The solution set is $\left\{3,-\frac{1}{2}\right\}$.

8. a) $|2x+3|<5$

$-5<2x+3<5$

$-8<2x<2$

$-4<x<1$

The solution set is $\{x|-4<x<1\}$, or $(-4,1)$.

b) $|3x+2|\geq 8$

$3x+2\leq -8 \quad or \quad 3x+2\geq 8$

$3x\leq -10 \quad or \quad 3x\geq 6$

$x\leq -\frac{10}{3} \quad or \quad x\geq 2$

The solution set is $\left\{x\middle|x\leq -\frac{10}{3} \text{ or } x\geq 2\right\}$, or $\left(-\infty,-\frac{10}{3}\right]\cup[2,\infty)$.

Chapter 1 Review Exercises

1. $-11+y=-3$

$-11+y+11=-3+11$

$y=8$

The number 8 checks, so it is the solution.

2. $-7x=-3$

$\frac{-7x}{-7}=\frac{-3}{-7}$

$x=\frac{3}{7}$

The number $\frac{3}{7}$ checks, so it is the solution.

3. $-\frac{5}{3}x+\frac{7}{3}=-5$

$3\left(-\frac{5}{3}x+\frac{7}{3}\right)=3(-5)$ Clearing fractions

$-5x+7=-15$

$-5x=-22$

$x=\frac{22}{5}$

The number $\frac{22}{5}$ checks, so it is the solution.

4. $6(2x-1)=3-(x+10)$

$12x-6=3-x-10$

$12x-6=-7-x$

$13x-6=-7$

$13x=-1$

$x=-\frac{1}{13}$

The number $-\frac{1}{13}$ checks, so it is the solution.

5. $2.4x+1.5=1.02$

$100(2.4x+1.5)=100(1.02)$ Clearing decimals

$240x+150=102$

$240x=-48$

$x=-0.2$

The number -0.2 checks, so it is the solution.

6. $2(3-x)-4(x+1)=7(1-x)$

$6-2x-4x-4=7-7x$

$2-6x=7-7x$

$2+x=7$

$x=5$

The number 5 checks, so it is the solution.

7. $C=\frac{4}{11}d+3$

$C-3=\frac{4}{11}d$ Subtracting 3

$\frac{11}{4}(C-3)=d$ Multiplying by $\frac{11}{4}$

8. $A=2a-3b$

$A-2a=-3b$

$\frac{A-2a}{-3}=b,$ or

$\frac{2a-A}{3}=b$

9. ***Familiarize***. Let x = the smaller number. Then $x+1$ = the larger number.

Translate.

$$\underbrace{\text{Smaller number}}_{\downarrow\ x} \ \underbrace{\text{plus}}_{\downarrow\ +} \ \underbrace{\text{larger number}}_{\downarrow\ (x+1)} \ \underbrace{\text{is}}_{\downarrow\ =} \ \underbrace{371.}_{\downarrow\ 371}$$

Solve. We solve the equation.

$$\begin{aligned} x + (x+1) &= 371 \\ 2x + 1 &= 371 \\ 2x &= 370 \\ x &= 185 \end{aligned}$$

If $x = 185$, then $x + 1 = 185 + 1 = 186$.

Check. 185 and 186 are consecutive integers and $185 + 186 = 371$. The answer checks.

State. The numbers on the markers are 185 and 186.

10. ***Familiarize***. Let x = the length of the longer piece of rope, in meters. Then $\frac{4}{5}x$ = the length of the shorter piece.

Translate.

$$\underbrace{\text{Length of longer piece}}_{x} \quad \underbrace{\text{plus}}_{+} \quad \underbrace{\text{Length of shorter piece}}_{\frac{4}{5}x} \quad \underbrace{\text{is}}_{=} \quad \underbrace{27 \text{ m}}_{27}.$$

Solve. We solve the equation.

$$\begin{aligned} x + \frac{4}{5}x &= 27 \\ \frac{9}{5}x &= 27 \\ x &= \frac{5}{9} \cdot 27 \\ x &= 15 \end{aligned}$$

If $x = 15$, then $\frac{4}{5}x = \frac{4}{5} \cdot 15 = 12$.

Check. 12 m is $\frac{4}{5}$ of 15 m and 12 m + 15 m = 27, so the answer checks.

State. The lengths of the pieces are 15 m and 12 m.

11. ***Familiarize***. Let p = the former population.

Translate.

$$\underbrace{\text{Former population}}_{p} \quad \underbrace{\text{plus}}_{+} \quad \underbrace{12\%}_{12\%} \quad \underbrace{\text{of}}_{\cdot} \quad \underbrace{\text{former population}}_{p} \quad \underbrace{\text{is}}_{=} \quad \underbrace{179,200}_{179,200}$$

Solve. We solve the equation.

$$\begin{aligned} p + 12\% \cdot p &= 179,200 \\ p + 0.12p &= 179,200 \\ 1.12p &= 179,200 \\ p &= 160,000 \end{aligned}$$

Check. 12% of 160,000 is $0.12(160,000) = 19,200$ and $160,000 + 19,200 = 179,200$. The answer checks.

State. The former population is 160,000.

12. ***Familiarize***. We will use the formula $d = rt$. Arnie's speed on the walkway is $3 + 6 = 9$ ft/sec.

Translate.

$$\begin{aligned} d &= rt \\ 360 &= 9t \end{aligned}$$

Solve. We solve the equation.

$$\begin{aligned} 360 &= 9t \\ 40 &= t \end{aligned}$$

Check. If Arnie travels at a speed of 9 ft/sec for 40 sec, he travels $9 \cdot 40 = 360$ ft. The answer checks.

State. It will take Arnie 40 sec to walk the length of the walkway.

13. Interval is $[-8, 9)$.

14. Interval notation is $(-\infty, 40]$.

15. $x - 2 \le -4$

$x \le -2$

The solution set is $(-\infty, -2]$.



16. $x + 5 > 6$

$x > 1$

The solution set is $(1, \infty)$.



17. $a + 7 \le -14$

$a \le -21$

The solution set is $\{a | a \le -21\}$, or $(-\infty, -21]$.

18. $y - 5 \ge -12$

$y \ge -7$

The solution set is $\{y | y \ge -7\}$, or $[-7, \infty)$.

19. $4y > -16$

$y > -4$

The solution set is $\{y | y > -4\}$, or $(-4, \infty)$.

20. $-0.3y < 9$

$y > -30$ Reversing the inequality symbol

The solution set is $\{y | y > -30\}$, or $(-30, \infty)$.

21. $-6x - 5 < 13$

$-6x < 18$

$x > -3$ Reversing the inequality symbol

The solution set is $\{x | x > -3\}$, or $(-3, \infty)$.

22. $4y + 3 \le -6y - 9$

$10y + 3 \le -9$

$10y \le -12$

$y \le -\frac{6}{5}$

The solution set is $\left\{y \middle| y \le -\frac{6}{5}\right\}$, or $\left(-\infty, -\frac{6}{5}\right]$.

23. $-\frac{1}{2}x - \frac{1}{4} > \frac{1}{2} - \frac{1}{4}x$

$-\frac{1}{4}x - \frac{1}{4} > \frac{1}{2}$

$-\frac{1}{4}x > \frac{3}{4}$

$x < -3$ Reversing the inequality symbol

The solution set is $\{x|x < -3\}$, or $(-\infty, -3)$.

24. $0.3y - 8 < 2.6y + 15$

$-2.3y - 8 < 15$

$-2.3y < 23$

$y > -10$ Reversing the inequality symbol

The solution set is $\{y|y > -10\}$, or $(-10, \infty)$.

25. $-2(x - 5) \geq 6(x + 7) - 12$

$-2x + 10 \geq 6x + 42 - 12$

$-2x + 10 \geq 6x + 30$

$-8x + 10 \geq 30$

$-8x \geq 20$

$x \leq -\frac{5}{2}$ Reversing the inequality symbol

The solution set is $\left\{x \middle| x \leq -\frac{5}{2}\right\}$, or $\left(-\infty, -\frac{5}{2}\right]$.

26. ***Familiarize***. Let t = the length of time of the move, in hours. Then Metro Movers charges $85+40t$ and Champion Moving charges $60t$.

Translate.

Cost of Champion Moving	is more than	Cost of Metro Movers
$\downarrow$	$\downarrow$	$\downarrow$
$60t$	$>$	$85 + 40t$

Solve. We solve the inequality.

$60t > 85 + 40t$

$20t > 85$

$t > \frac{17}{4}$, or $4\frac{1}{4}$

Check. When $t = \frac{17}{4}$ hr, Champion Moving charges $60 \cdot \frac{17}{4}$, or \$255, and Metro Movers charges $85 + 40 \cdot \frac{17}{4} = 85 + 170 = \$255$. For a value of t greater than $4\frac{1}{4}$, say 5, Champion Moving charges $60 \cdot 5 = \$300$, and Metro Movers charges $85 + 40 \cdot 5 = 85 + 200 = \$285$. This partial check tells us that the answer is probably correct.

State. Champion Moving is more expensive for moves taking more than $4\frac{1}{4}$ hr. The solution set is $\left\{t \middle| t > 4\frac{1}{4} \text{ hr}\right\}$.

27. ***Familiarize***. Let x = the amount invested at 3%. Then $30,000 - x$ = the amount invested at 4%. The interest earned on the 3% investment is $3\%x$, or $0.03x$, and the interest earned on the 4% investment is $4\%(30,000 - x)$, or $0.04(30,000 - x)$.

Translate.

Interest on 3% investment	plus	Interest on 4% investment	is at least	\$1100
$\downarrow$	$\downarrow$	$\downarrow$	$\downarrow$	$\downarrow$
$0.03x$	$+$	$0.04(30,000 - x)$	$\geq$	1100

Solve. We solve the inequality.

$0.03x + 0.04(30,000 - x) \geq 1100$

$0.03x + 1200 - 0.04x \geq 1100$

$-0.01x + 1200 \geq 1100$

$-0.01x \geq -100$

$x \leq 10,000$

Check. If \$10,000 is invested at 3%, then the amount invested at 4% is $\$30,000 - \$10,000$, or \$20,000. The interest earned is $0.03(\$10,000) + 0.04(\$20,000)$, or $\$300 + \$800$, or \$1100. Then if less than \$10,000 is invested at 3%, the interest earned will be more than \$1100. This partial check shows that the answer is probably correct.

State. At most \$10,000 can be invested at 3% interest.

28. Interval notation for $-2 \leq x < 5$ is $[-2, 5)$.



29. Interval notation for $x \leq -2$ *or* $x > 5$ is $(-\infty, -2] \cup (5, \infty)$.



30. $\{1, 2, 5, 6, 9\} \cap \{1, 3, 5, 9\} = \{1, 5, 9\}$

31. $\{1, 2, 5, 6, 9\} \cup \{1, 3, 5, 9\} = \{1, 2, 3, 5, 6, 9\}$

32. $2x - 5 < -7$ *and* $3x + 8 \geq 14$

$2x < -2$ *and* $3x \geq 6$

$x < -1$ *and* $x \geq 2$

The intersection of $\{x|x < -1\}$ *and* $\{x \geq 2\}$ is $\emptyset$, so the solution set is $\emptyset$.

33. $-4 < x + 3 \leq 5$

$-7 < x \leq 2$ Subtracting 3

The solution set is $\{x| -7 < x \leq 2\}$, or $(-7, 2]$.

34. $-15 < -4x - 5 < 0$

$-10 < -4x < 5$ Adding 5

$\frac{5}{2} > x > -\frac{5}{4}$ Dividing by -4 and reversing the inequality symbol

The solution set is $\left\{x \middle| \frac{5}{2} > x > -\frac{5}{4}\right\}$, or $\left\{x \middle| -\frac{5}{4} < x < \frac{5}{2}\right\}$, or $\left(-\frac{5}{4}, \frac{5}{2}\right)$.

35. $3x < -9$ *or* $-5x < -5$

$x < -3$ *or* $x > 1$

The solution set is $\{x|x < -3 \text{ or } x > 1\}$, or $(-\infty, -3) \cup (1, \infty)$.

36. $2x+5<-17 \text{ or } -4x+10\le 34$

$2x<-22 \text{ or } -4x\le 24$

$x<-11 \text{ or } x\ge -6$

The solution set is $\{x|x<-11 \text{ or } x\ge -6\}$, or $(-\infty,-11)\cup[-6,\infty)$.

37. $2x+7\le -5 \text{ or } x+7\ge 15$

$2x\le -12 \text{ or } x\ge 8$

$x\le -6 \text{ or } x\ge 8$

The solution set is $\{x|x\le -6 \text{ or } x\ge 8\}$, or $(-\infty,-6]\cup[8,\infty)$.

38. $\left|-\frac{3}{x}\right|=\left|\frac{-3}{x}\right|=\frac{|-3|}{|x|}=\frac{3}{|x|}$

39. $\left|\frac{2x}{y^2}\right|=\frac{|2x|}{|y^2|}=\frac{|2|\cdot|x|}{y^2}=\frac{2|x|}{y^2}$

40. $\left|\frac{12y}{-3y^2}\right|=\left|\frac{-4}{y}\right|=\frac{|-4|}{|y|}=\frac{4}{|y|}$

41. $|-23-39|=|-62|=62$, or

$|39-(-23)|=|39+23|=|62|=62$

42. $|x|=6$

$x=-6 \text{ or } x=6$ Absolute-value principle

The solution set is $\{-6,6\}$.

43. $|x-2|=7$

$x-2=-7 \text{ or } x-2=7$

$x=-5 \text{ or } x=9$

The solution set is $\{-5,9\}$.

44. $|2x+5|=|x-9|$

$2x+5=x-9 \text{ or } 2x+5=-(x-9)$

$x+5=-9 \text{ or } 2x+5=-x+9$

$x=-14 \text{ or } 3x+5=9$

$x=-14 \text{ or } 3x=4$

$x=-14 \text{ or } x=\frac{4}{3}$

The solution set is $\left\{-14,\frac{4}{3}\right\}$.

45. $|5x+6|=-8$

The absolute value of a number is always nonnegative. Thus, the solution set is $\emptyset$.

46. $|2x+5|<12$

$-12<2x+5<12$

$-17<2x<7$

$-\frac{17}{2}<x<\frac{7}{2}$

The solution set is $\left\{x\middle|-\frac{17}{2}<x<\frac{7}{2}\right\}$, or $\left(-\frac{17}{2},\frac{7}{2}\right)$.

47. $|x|\ge 3.5$

$x\le -3.5 \text{ or } x\ge 3.5$

The solution set is $\{x|x\le -3.5 \text{ or } x\ge 3.5\}$, or $(-\infty,-3.5]\cup[3.5,\infty)$.

48. $|3x-4|\ge 15$

$3x-4\le -15 \text{ or } 3x-4\ge 15$

$3x\le -11 \text{ or } 3x\ge 19$

$x\le -\frac{11}{3} \text{ or } x\ge \frac{19}{3}$

The solution set is $\left\{x\middle|x\le -\frac{11}{3} \text{ or } x\ge \frac{19}{3}\right\}$, or $\left(-\infty,-\frac{11}{3}\right]\cup\left[\frac{19}{3},\infty\right)$.

49. $|x|<0$

The absolute value of a number is always greater than or equal to 0, so the solution set is $\emptyset$.

50. In 2010, $t=2010-1980=30$.

$G=0.506t+18.3$

$G=0.506(30)+18.3=15.18+18.3=33.48$

We estimate carbon dioxide emissions to be 33.48 billion metric tons in 2010. Answer B is correct.

51. We want to find the value of t for which $35<G<40$. We have

$35<0.506t+18.3<40$

$16.7<0.506t<21.7$

$33<t<43$. Rounding

Thus, for years between 33 yr after 1980 and 43 yr after 1980, global carbon dioxide emissions are predicted to be between 35 and 40 billion metric tons. These are the years between 2013 and 2023. Answer A is correct.

52. $|2x+5|\le|x+3|$

$|2x+5|\le x+3 \text{ or } |2x+5|\le -(x+3)$

First we solve $|2x+5|\le x+3$.

$-(x+3)\le 2x+5 \text{ and } 2x+5\le x+3$

$-x-3\le 2x+5 \text{ and } x\le -2$

$-8\le 3x \text{ and } x\le -2$

$-\frac{8}{3}\le x \text{ and } x\le -2$

The solution set for this portion of the inequality is $\left\{x\middle|-\frac{8}{3}\le x\le -2\right\}$.

Now we solve $|2x+5|\le -(x+3)$.

$-[-(x+3)]\le 2x+5 \text{ and } 2x+5\le -(x+3)$

$x+3\le 2x+5 \text{ and } 2x+5\le -x-3$

$-2\le x \text{ and } 3x\le -8$

$-2\le x \text{ and } x\le -\frac{8}{3}$

The solution set for this portion of the inequality is $\emptyset$.

Then the solution set for the original inequality is $\left\{x \middle| -\frac{8}{3} \le x \le -2\right\} \cup \emptyset$, or $\left\{x \middle| -\frac{8}{3} \le x \le -2\right\}$. This is expressed in interval notation as $\left[-\frac{8}{3}, -2\right]$.

Chapter 1 Discussion and Writing Exercises

1. When the signs of the quantities on either side of the inequality symbol are changed, their relative positions on the number line are reversed.

2. The distance between x and -5 is $|x-(-5)|$, or $|x+5|$. Then the solutions of the inequality $|x+5| \le 2$ can be interpreted as "all those numbers x whose distance from -5 is at most 2 units."

3. When $b \ge c$, then $[a,b] \cup [c,d] = [a,d]$.

4. The solutions of $|x| \ge 6$ are those numbers whose distance from zero is greater than or equal to 6. In addition to the numbers in $[6,\infty)$, the distance of the numbers in $(-\infty,-6]$ from 0 is also greater than or equal to 6. Thus, $[6,\infty)$ is only part of the solution of the inequality.

5. (1) $-9(x+2) = -9x-18$, not $-9x+2$. (2) This would be correct if (1) were correct except that the inequality symbol should not have been reversed. (3) If (2) were correct, the right-hand side would be -5, not 8. (4) The inequality symbol should be reversed. The correct solution is

$$\begin{aligned} 7-9x+6x &< -9(x+2)+10x \\ 7-9x+6x &< -9x-18+10x \\ 7-3x &< x-18 \\ -4x &< -25 \\ x &> \frac{25}{4}. \end{aligned}$$

6. By definition, the notation $3 < x < 5$ indicates that $3 < x$ *and* $x < 5$. A solution of the disjunction $3 < x$ *or* $x < 5$ must be in at least one of these sets but not necessarily in both, so the disjunction cannot be written as $3 < x < 5$.

Chapter 1 Test

1.
$$\begin{aligned} x+7 &= 5 \\ x+7-7 &= 5-7 \\ x &= -2 \end{aligned}$$

The number -2 checks, so it is the solution.

2.
$$\begin{aligned} -12x &= -8 \\ \frac{-12x}{-12} &= \frac{-8}{-12} \\ x &= \frac{2}{3} \end{aligned}$$

The number $\frac{2}{3}$ checks, so it is the solution.

3.
$$\begin{aligned} x-\frac{3}{5} &= \frac{2}{3} \\ x-\frac{3}{5}+\frac{3}{5} &= \frac{2}{3}+\frac{3}{5} \\ x &= \frac{10}{15}+\frac{9}{15} \\ x &= \frac{19}{15} \end{aligned}$$

The number $\frac{19}{15}$ checks, so it is the solution.

4.
$$\begin{aligned} 3y-4 &= 8 \\ 3y &= 12 && \text{Adding 4} \\ y &= 4 && \text{Dividing by 3} \end{aligned}$$

The number 4 checks, so it is the solution.

5.
$$\begin{aligned} 1.7y-0.1 &= 2.1-0.3y \\ 2y-0.1 &= 2.1 && \text{Adding } 0.3y \\ 2y &= 2.2 && \text{Adding } 0.1 \\ y &= 1.1 && \text{Dividing by 2} \end{aligned}$$

The number 1.1 checks, so it is the solution.

6.
$$\begin{aligned} 5(3x+6) &= 6-(x+8) \\ 15x+30 &= 6-x-8 \\ 15x+30 &= -2-x \\ 16x+30 &= -2 \\ 16x &= -32 \\ x &= -2 \end{aligned}$$

The number -2 checks, so it is the solution.

7.
$$\begin{aligned} A &= 3B-C \\ A+C &= 3B && \text{Adding } C \\ \frac{A+C}{3} &= B && \text{Dividing by 3} \end{aligned}$$

8.
$$\begin{aligned} m &= n-nt \\ m &= n(1-t) && \text{Factoring out } n \\ \frac{m}{1-t} &= n && \text{Dividing by } 1-t \end{aligned}$$

9. ***Familiarize***. Let l = the length of the room, in feet. Then $\frac{2}{3}l$ = the width. Recall that the formula for the perimeter P of a rectangle with length l and width w is $P = 2l+2w$.

Translate. We substitute in the formula.

$$\begin{aligned} P &= 2l+2w \\ 48 &= 2l+2\cdot\frac{2}{3}l \end{aligned}$$

Solve. We solve the equation.

$$48 = 2l + 2 \cdot \frac{2}{3}l$$
$$48 = 2l + \frac{4}{3}l$$
$$48 = \frac{10}{3}l$$
$$\frac{3}{10} \cdot 48 = l$$
$$\frac{72}{5} = l, \text{ or}$$
$$14\frac{2}{5} = l$$

If $l = \frac{72}{5}$, then $\frac{2}{3}l = \frac{2}{3} \cdot \frac{72}{5} = \frac{48}{5}$, or $9\frac{3}{5}$.

Check. $9\frac{3}{5}$ ft is two-thirds of $14\frac{2}{5}$ ft and $2 \cdot 14\frac{2}{5} + 2 \cdot 9\frac{3}{5} = 2 \cdot \frac{72}{5} + 2 \cdot \frac{48}{5} = \frac{144}{5} + \frac{96}{5} = \frac{240}{5} = 48$. The answer checks.

State. The length of the room is $14\frac{2}{5}$ ft and the width is $9\frac{3}{5}$ ft.

10. ***Familiarize***. Let c = the number of copies the firm can make. The rental cost for 3 months is $3 \cdot \$240$, or \$720, and the cost of the copies is $1.5\text{¢} \cdot c$, or $\$0.015c$.

Translate.

$$\underbrace{\text{Rental cost}}_{\downarrow\ 720} \text{ plus } \underbrace{\text{copy cost}}_{\downarrow\ 0.015c} \underbrace{\text{is no more than}}_{\downarrow\ \leq} \underbrace{\$1500}_{\downarrow\ 1500}$$

Solve. We solve the inequality.

$$720 + 0.015c \leq 1500$$
$$0.015c \leq 780$$
$$c \leq 52,000$$

Check. If 52,000 copies are made, the total cost is $\$720 + \$0.015(52,000) = \$1500$. For more than 52,000 copies, say 52,001, the total cost is $\$720 + \$0.015(52,001) \approx \$1500.02$. The answer checks.

State. The law firm can make at most 52,000 copies.

11. ***Familiarize***. Let p = the former population.

Translate.

$$\underbrace{\text{Former population}}_{\downarrow\ p} \text{ minus } 12\% \text{ of } \underbrace{\text{Former population}}_{\downarrow\ p} \text{ is } 158,400.$$
$$\downarrow\ p \quad \downarrow\ - \quad 12\% \cdot \downarrow\ p \quad \downarrow\ = \quad 158,400$$

Solve. We solve the equation.

$$p - 12\% \cdot p = 158,400$$
$$p - 0.12p = 158,400$$
$$0.88p = 158,400$$
$$p = 180,000$$

Check. 12% of 180,000 is $0.12(180,000) = 21,600$ and $180,000 - 21,600 = 158,400$ so the answer checks.

State. The former population of Baytown was 180,000.

12. ***Familiarize***. Let x = the measure of the smallest angle. Then $x + 1$ and $x + 2$ represent the measures of the other two angles. Recall that the sum of the measures of the angles in a triangle is 180°.

Translate.

$$\underbrace{\text{The sum of the measures}}_{\downarrow\ x + (x+1) + (x+2)} \text{ is } \underbrace{180^\circ}_{\downarrow\ 180}$$
$$\downarrow\ = \quad \downarrow\ 180$$

Solve. We solve the equation.

$$x + (x + 1) + (x + 2) = 180$$
$$3x + 3 = 180$$
$$3x = 177$$
$$x = 59$$

If $x = 59$, then $x + 1 = 59 + 1 = 60$ and $x + 2 = 59 + 2 = 61$.

Check. The numbers 59, 60, and 61 are consecutive integers and $59^\circ + 60^\circ + 61^\circ = 180^\circ$. The answer checks.

State. The measures of the angles are 59°, 60°, and 61°.

13. First we will find how long it takes the boat to travel 36 mi downstream.

Familiarize. We will use the formula $d = rt$. Let t = the time, in hours, it will take the boat to travel 36 mi downstream. The speed of the boat traveling downstream is $12 + 3$, or 15 mph.

Translate.

$$d = rt$$
$$36 = 15t$$

Solve. We solve the equation.

$$36 = 15t$$
$$\frac{12}{5} = t, \text{ or}$$
$$2\frac{2}{5} = t$$

Check. If the boat travels at 15 mph for $\frac{12}{5}$ hr, it travels $15 \cdot \frac{12}{5}$, or 36 mi. The answer checks.

State. It will take the boat $2\frac{2}{5}$ hr to travel 36 mi downstream.

Now we find how long it will take the boat to travel 36 mi upstream.

Familiarize. We will use the formula $d = rt$. Let t = the time, in hours, it will take the boat to travel 36 mi upstream. The speed of the boat traveling upstream is $12 - 3$, or 9 mph.

Translate.

$$d = rt$$
$$36 = 9t$$

Solve. We solve the equation.

$$36 = 9t$$
$$4 = t$$

Check. If the boat travels at 9 mph for 4 hr, it travels $9 \cdot 4$, or 36 mi. The answer checks.

State. It will take the boat 4 hr to travel 36 mi upstream.

14. Interval notation for $\{x|-3 < x \le 2\}$ is $(-3, 2]$.

15. Interval notation is $(-4, \infty)$.

16. $x - 2 \le 4$

$x \le 6$ Adding 2

The solution set is $\{x|x \le 6\}$, or $(-\infty, 6]$.



17. $-4y - 3 \ge 5$

$-4y \ge 8$

$y \le -2$ Reversing the inequality symbol

The solution set is $\{y|y \le -2\}$, or $(-\infty, -2]$.



18. $x - 4 \ge 6$

$x \ge 10$ Adding 4

The solution set is $\{x|x \ge 10\}$, or $[10, \infty)$.

19. $-0.6y < 30$

$y > -50$ Reversing the inequality symbol

The solution set is $\{y|y > -50\}$, or $(-50, \infty)$.

20. $3a - 5 \le -2a + 6$

$5a - 5 \le 6$

$5a \le 11$

$a \le \dfrac{11}{5}$

The solution set is $\left\{a \middle| a \le \dfrac{11}{5}\right\}$, or $\left(-\infty, \dfrac{11}{5}\right]$.

21. $-5y - 1 > -9y + 3$

$4y - 1 > 3$

$4y > 4$

$y > 1$

The solution set is $\{y|y > 1\}$, or $(1, \infty)$.

22. $4(5 - x) < 2x + 5$

$20 - 4x < 2x + 5$

$20 - 6x < 5$

$-6x < -15$

$x > \dfrac{5}{2}$

The solution set is $\left\{x \middle| x > \dfrac{5}{2}\right\}$, or $\left(\dfrac{5}{2}, \infty\right)$.

23. $-8(2x + 3) + 6(4 - 5x) \ge 2(1 - 7x) - 4(4 + 6x)$

$-16x - 24 + 24 - 30x \ge 2 - 14x - 16 - 24x$

$-46x \ge -14 - 38x$

$-8x \ge -14$

$x \le \dfrac{7}{4}$

The solution set is $\left\{x \middle| x \le \dfrac{7}{4}\right\}$, or $\left(-\infty, \dfrac{7}{4}\right]$.

24. ***Familiarize***. Let t = the length of time of the move, in hours. Then Motivated Movers charges $105 + 30t$ and Quick-Pak Moving charges $80t$.

Translate.

$$\underbrace{\text{Cost of Quick-Pak}}_{\downarrow\ 80t} \quad \underbrace{\text{is more than}}_{\downarrow\ >} \quad \underbrace{\text{Cost of Motivated Movers}}_{\downarrow\ 105 + 30t}$$

Solve. We solve the inequality.

$80t > 105 + 30t$

$50t > 105$

$t > \dfrac{21}{10}$, or $2\dfrac{1}{10}$

Check. When $t = \dfrac{21}{10}$ hr, Motivated Movers charges $105 + 30 \cdot \dfrac{21}{10}$, or \$168, and Quick-Pak charges $80 \cdot \dfrac{21}{10}$, or \$168. For a value of t greater than $2\dfrac{1}{10}$, say 3, Motivated Movers charges $105+30\cdot3$, or \$195, and Quick-Pak charges $80\cdot3$, or \$240, so Quick-Pak is more expensive. This partial check tells us that the answer is probably correct.

State. Quick-Pak is more expensive for moves more than $2\dfrac{1}{10}$ hr. The solution set is $\left\{t \middle| t > 2\dfrac{1}{10} \text{ hr}\right\}$.

25. ***Familiarize***. We will use the formula $P = 1 + \dfrac{d}{33}$.

Translate. We want to find those values of P for which

$2 \le P \le 8$

or

$2 \le 1 + \dfrac{d}{33} \le 8$.

Solve. We solve the inequality.

$2 \le 1 + \dfrac{d}{33} \le 8$

$1 \le \dfrac{d}{33} \le 7$

$33 \le d \le 231$

Check. We could do a partial check by substituting some values for d in the formula. The result checks.

State. The pressure is at least 2 atm and at most 8 atm for depths d in the set $\{d|33 \text{ ft} \le d \le 231 \text{ ft}\}$.

26. Interval notation for $-3 \le x \le 4$ is $[-3, 4]$.



27. Interval notation for $x < -3$ *or* $x > 4$ is $(-\infty, -3) \cup (4, \infty)$.



28. $5 - 2x \le 1$ *and* $3x + 2 \ge 14$

$-2x \le -4$ *and* $3x \ge 12$

$x \ge 2$ *and* $x \ge 4$

The intersection of $\{x|x \ge 2\}$ *and* $\{x|x \ge 4\}$, is $\{x|x \ge 4\}$, or $[4, \infty)$.

29. $-3 < x - 2 < 4$

$-1 < x < 6$ Adding 2

The solution set is $\{x|-1 < x < 6\}$, or $(-1, 6)$.

30. $-11 \le -5x - 2 < 0$

$-9 \le -5x < 2$

$\frac{9}{5} \ge x > -\frac{2}{5}$

The solution set is $\left\{x \middle| \frac{9}{5} \ge x > -\frac{2}{5}\right\}$, or

$\left\{x \middle| -\frac{2}{5} < x \le \frac{9}{5}\right\}$, or $\left(-\frac{2}{5}, \frac{9}{5}\right]$.

31. $-3x > 12$ *or* $4x > -10$

$x < -4$ *or* $x > -\frac{5}{2}$

The solution set is $\left\{x \middle| x < -4 \text{ or } x > -\frac{5}{2}\right\}$, or

$(-\infty, -4) \cup \left(-\frac{5}{2}, \infty\right)$.

32. $x - 7 \le -5$ *or* $x - 7 \ge -10$

$x \le 2$ *or* $x \ge -3$

The union of $(-\infty, 2]$ and $[-3, \infty)$ is the set of all real numbers, or $(-\infty, \infty)$.

33. $3x - 2 < 7$ *or* $x - 2 > 4$

$3x < 9$ *or* $x > 6$

$x < 3$ *or* $x > 6$

The solution set is $\{x|x < 3 \text{ or } x > 6\}$, or $(-\infty, 3) \cup (6, \infty)$.

34. $\left|\frac{7}{x}\right| = \frac{|7|}{|x|} = \frac{7}{|x|}$

35. $\left|\frac{-6x^2}{3x}\right| = |-2x| = |-2| \cdot |x| = 2|x|$

36. $|4.8 - (-3.6)| = |4.8 + 3.6| = |8.4| = 8.4$, or

$|-3.6 - 4.8| = |-8.4| = 8.4$

37. $\{1, 3, 5, 7, 9\} \cap \{3, 5, 11, 13\} = \{3, 5\}$

38. $\{1, 3, 5, 7, 9\} \cup \{3, 5, 11, 13\} = \{1, 3, 5, 7, 9, 11, 13\}$

39. $|x| = 9$

$x = -9$ *or* $x = 9$ Absolute-value principle

The solution set is $\{-9, 9\}$.

40. $|x - 3| = 9$

$x - 3 = -9$ *or* $x - 3 = 9$

$x = -6$ *or* $x = 12$

The solution set is $\{-6, 12\}$.

41. $|x + 10| = |x - 12|$

$x + 10 = x - 12$ *or* $x + 10 = -(x - 12)$

$10 = -12$ *or* $x + 10 = -x + 12$

$10 = -12$ *or* $2x = 2$

$10 = -12$ *or* $x = 1$

The first equation has no solution. The solution of the second equation is 1, so the solution set is $\{1\}$.

42. $|2 - 5x| = -10$

The absolute value of a number is always nonnegative. Thus, the solution set is $\emptyset$.

43. $|4x - 1| < 4.5$

$-4.5 < 4x - 1 < 4.5$

$-3.5 < 4x < 5.5$

$-0.875 < x < 1.375$

The solution set is $\{x|-0.875 < x < 1.375\}$, or $(-0.875, 1.375)$. This could also be expressed as

$\left\{x \middle| -\frac{7}{8} < x < \frac{11}{8}\right\}$, or $\left(-\frac{7}{8}, \frac{11}{8}\right)$.

44. $|x| > 3$

$x < -3$ *or* $x > 3$

The solution set is $\{x|x < -3 \text{ or } x > 3\}$, or $(-\infty, -3) \cup (3, \infty)$.

45. $\left|\frac{6 - x}{7}\right| \le 15$

$-15 \le \frac{6 - x}{7} \le 15$

$-105 \le 6 - x \le 105$ Multiplying by 7

$-111 \le -x \le 99$

$111 \ge x \ge -99$

The solution set is $\{x|111 \ge x \ge -99\}$, or $\{x|-99 \le x \le 111\}$, or $[-99, 111]$.

46. $|-5x - 3| \ge 10$

$-5x - 3 \le -10$ *or* $-5x - 3 \ge 10$

$-5x \le -7$ *or* $-5x \ge 13$

$x \ge \frac{7}{5}$ *or* $x \le -\frac{13}{5}$

The solution set is $\left\{x \middle| x \le -\frac{13}{5} \text{ or } x \ge \frac{7}{5}\right\}$, or

$\left(-\infty, -\frac{13}{5}\right] \cup \left[\frac{7}{5}, \infty\right)$.

47. $2(3x - 6) + 5 = 1 - (x - 6)$

$6x - 12 + 5 = 1 - x + 6$

$6x - 7 = 7 - x$

$7x - 7 = 7$

$7x = 14$

$x = 2$

The number 2 checks, so it is the solution. The solution is between 1 and 3, so answer C is correct.

48. $|3x - 4| \le -3$

The absolute value of a number is always nonnegative, so $|3x - 4|$ cannot be less than -3. Thus, the solution set is $\emptyset$.

49. $7x < 8 - 3x < 6 + 7x$

$$\begin{array}{rcr} 7x < 8 - 3x & \textit{and} & 8 - 3x < 6 + 7x \\ 10x < 8 & \textit{and} & -10x < -2 \\ x < \dfrac{4}{5} & \textit{and} & x > \dfrac{1}{5} \end{array}$$

The intersection of $\left\{x \middle| x < \frac{4}{5}\right\}$ *and* $\left\{x \middle| x > \frac{1}{5}\right\}$ is $\left\{x \middle| \frac{1}{5} < x < \frac{4}{5}\right\}$, or $\left(\frac{1}{5}, \frac{4}{5}\right)$.